

PLIMAT

Family 08

Acessórios para esgoto PVC

Products	26
References	91

08.05 Bend 87°30'

PVC-U	Connection: not defined	7 references
-------	-------------------------	--------------

de	L	L1	Z1	Z2	Weight (g)	Pack	REF.	3D
32	38	42	17	22	48	200	01251031032	-
40	47	44	22	27	76	100	01251031040	-
50	54	55	25	35	107	100	01251031050	-
75	60	56	45	50	205	60	01251031075	-
90	65	57	49	60	295	30	01251031090	-
110	68	61	60	72	440	20	01251031110	-
125	75	68	68	73	476	15	01251031125	-

Dimension key: de = Ø exterior (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.06 Bend 45°

PVC-U	Connection: not defined	7 references
-------	-------------------------	--------------

de	L	L1	Z1	Z2	Weight (g)	Pack	REF.	3D
32	43	42	7	14	47	200	01251032032	-
40	47	44	8	15	63	100	01251032040	-
50	49	46	9	16	83	100	01251032050	-
75	60	52	18	18	150	80	01251032075	-
90	65	57	23	25	230	40	01251032090	-
110	71	64	23	30	320	25	01251032110	-
125	76	68	30	35	384	20	01251032125	-

Dimension key: de = Ø exterior (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.07 Single branch 87°30'

PVC-U	Connection: not defined	7 references	1 with CAD file
-------	-------------------------	--------------	-----------------

de	I	L	L1	Z1	Z2	Weight (g)	Pack	REF.	3D
32	121	41	43	19	18	73	100	01251033032	-
40	140	47	44	22	27	110	120	01251033040	-
50	166	51	50	25	33	170	80	01251033050	sim
75	198	57	59	35	48	300	40	01251033075	-
90	260	70	68	62	60	430	20	01251033090	-
110	277	71	64	72	72	620	13	01251033110	-
125	283	75	66	69	73	640	10	01251033125	-

Dimension key: de = Ø exterior (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.08 Reducing single branch 87°30'

PVC-U	Connection: not defined	3 references
-------	-------------------------	--------------

de	de1	I	L	L1	L2	Z	Z1	Z2	Weight (g)	Pack	REF.	3D
90	40	206	71	72	50	37	25	56	308	35	01251084010	-
90	50	206	71	72	54	37	25	56	310	30	01251084011	-
110	90	266	71	74	71	61	60	75	550	15	01251084015	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm), L2 = Comprimento (3) (mm)

08.09 Fork 45°

PVC-U	Connection: not defined	7 references	3 with CAD file
-------	-------------------------	--------------	-----------------

de	I	L	L1	Z	Weight (g)	Pack	REF.	3D
32	130	43	50	37	82	100	01251083032	-
40	162	49	54	59	140	80	01251083040	sim
50	184	53	58	73	186	60	01251083050	-
75	229	58	63	108	336	30	01251083075	-
90	277	70	77	130	490	18	01251083090	sim
110	301	70	70	161	652	12	01251083110	sim
125	318	73	94	151	844	8	01251083125	-

Dimension key: de = Ø exterior (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.10 Reducing fork 45°

PVC-U	Connection: not defined	9 references	1 with CAD file
-------	-------------------------	--------------	-----------------

de	de1	L	L1	L2	I	Weight (g)	Pack	REF.	3D
75	50	56	50	52	184	240	50	01251196009	-
90	50	63	52	58	194	290	20	01251196011	-
110	40	68	48	60	205	380	25	01251196012	-
110	50	68	48	60	205	400	25	01251196013	-
110	75	68	57	60	262	536	18	01251196014	-
110	90	68	63	60	262	570	15	01251196015	-

de	de1	L	L1	L2	I	Weight (g)	Pack	REF.	3D
125	75	73	58	94	318	685	12	01251196019	-
125	90	73	64	94	318	722	10	01251196020	sim
125	110	73	67	94	318	775	10	01251196021	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm), L2 = Comprimento (3) (mm), I = Profundidade de encaixe (mm)

08.11 Reducing pipe

PVC-U	Connection: not defined	9 references	1 with CAD file
-------	-------------------------	--------------	-----------------

de1	de2	I	L	L1	Z	Weight (g)	Pack	REF.	3D
40	32	61	42	31	-	35	400	01251036003	-
50	32	104	42	46	16	60	120	01251036004	sim
50	40	116	50	53	13	76	100	01251036005	-
75	40	135	53	53	29	120	120	01251036008	-
75	50	99	43	53	3	116	150	01251036009	-
90	50	157	54	71	32	160	75	01251036011	-
90	75	131	54	58	19	187	80	01251036012	-
110	75	151	52	65	34	246	50	01251036014	-
110	90	145	63	61	21	200	50	01251036015	-

Dimension key: de1 = Ø exterior (2.ª saída) (mm), de2 = Ø exterior (3.ª saída) (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.12 Reducing

PVC-U	Connection: not defined	2 references	2 with CAD file
-------	-------------------------	--------------	-----------------

de1	de2	I	L	L1	Z	Weight (g)	Pack	REF.	3D
40	32	78	35	37	6	44	250	01251180003	sim
50	40	83	37	39	7	56	150	01251180005	sim

Dimension key: de1 = Ø exterior (2.ª saída) (mm), de2 = Ø exterior (3.ª saída) (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.13 Reducing elbow 87°30'

PVC-U	Connection: not defined	1 references
-------	-------------------------	--------------

de	de1	L	L1	Z	Z1	Weight (g)	Pack	REF.	3D
40	32	39	43	15	20	54	200	01251031005	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.14 Double socketed sleeve

PVC-U	Connection: not defined	7 references	2 with CAD file
-------	-------------------------	--------------	-----------------

d	I	Weight (g)	Pack	REF.	3D
32	86	35	C 160	01251185032	-
40	90	60	C 100	01251185040	sim
50	88	96	C 72	01251185050	-
75	106	154	C 80	01251185075	-

d	I	Weight (g)	Pack	REF.	3D
90	127	225	D 50	01251185090	sim
110	125	300	D 30	01251185110	-
125	133	300	D 24	01251185125	-

Dimension key: d = Ø exterior do tubo (mm), I = Profundidade de encaixe (mm)

08.15 Socket

PVC-U	Connection: not defined	7 references	2 with CAD file
-------	-------------------------	--------------	-----------------

d	I	L	Z	Weight (g)	Pack	REF.	3D
32	86	41	4	49	C 160	01251005032	-
40	90	43	4	66	C 100	01251005040	sim
50	88	42	4	100	C 72	01251005050	-
75	106	51	4	157	C 80	01251005075	-
90	127	62	3	235	D 50	01251005090	sim
110	125	61	3	310	D 30	01251005110	-
125	133	65	3	310	D 24	01251005125	-

Dimension key: d = Ø exterior do tubo (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm)

08.16 Syphon Ø90

PVC-U	Connection: not defined	1 references
-------	-------------------------	--------------

de	de1	I	L	L1	Weight (g)	Pack	REF.	3D
40	50	80	46	26	200	60	01251070005	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.17 Syphon Ø110

PVC-U	Connection: not defined	2 references
-------	-------------------------	--------------

de	de1	I	L	L1	Weight (g)	Pack	REF.	3D
40	50	80	42	47	237	30	01251070010	-
40	50	115	42	47	280	24	01251070011	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.18 Syphon Ø125 short bottom

PVC-U	Connection: not defined	2 references
-------	-------------------------	--------------

de	de1	L	L1	Z	Z1	I	Weight (g)	Pack	REF.	3D
40	50	36	45	69	51	120	580	15	01251236003	-
40	75	36	50	69	51	120	577	15	01251236006	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm), I = Profundidade de encaixe (mm)

08.19 Syphon Ø125 long bottom

PVC-U

Connection: not defined

1 references

de	de1	L	L1	Z	Z1	I	Weight (g)	Pack	REF.	3D
40	75	36	50	89	71	160	664	12	01251237007	-

Dimension key: de = Ø exterior (mm), de1 = Ø exterior (2.ª saída) (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm), I = Profundidade de encaixe (mm)

08.20 Plug

PVC-U

Connection: not defined

1 references

de	I	Weight (g)	Pack	REF.	3D
40	35	15	C 400	01251011040	-

Dimension key: de = Ø exterior (mm), I = Profundidade de encaixe (mm)

08.21 Syphon blade

PVC-U

Connection: not defined

1 references

1 with CAD file

D	Weight (g)	Pack	REF.	3D
125	-	E 250	01251238125	sim

Dimension key: D = Ø exterior do acessório (mm)

08.22 Syphonage bend

PVC-U

Connection: not defined

1 references

1 with CAD file

D	Weight (g)	Pack	REF.	3D
40	-	E 140	01251239040	sim

Dimension key: D = Ø exterior do acessório (mm)

08.23 Thread ring for syphon

PVC-U

Threaded

3 references

G	D	I	Weight (g)	Pack	REF.	3D
79x3.18	90	14	40	C 180	01251072005	-
100x3.18	110	21	57	C 100	01251072010	-
119x3.5	125	28	67	C 60	01251072015	-

Dimension key: G = Rosca, D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

08.24 Thread ring for pipe

PVC-U

Threaded

2 references

G	D	I	Weight (g)	Pack	REF.	3D
79x3.18	90	17	32	C 180	01251280090	-
100x3.18	110	21	43	C 100	01251280110	-

Dimension key: G = Rosca, D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

08.25 WC outlet elbow

PVC-U

Connection: not defined

1 references

1 with CAD file

d1	de2	L	L1	Z1	Z2	Weight (g)	Pack	REF.	3D
110	90	56	173	55	58	400	20	01251076090	sim

Dimension key: d1 = Ø exterior do tubo (2.ª saída) (mm), de2 = Ø exterior (3.ª saída) (mm), L = Comprimento (mm), L1 = Comprimento (2) (mm)

08.26 WC outlet

PVC-U

Connection: not defined

1 references

de1	de2	I	L	Weight (g)	Pack	REF.	3D
110	90	126	63	126	60	01251082090	-

Dimension key: de1 = Ø exterior (2.ª saída) (mm), de2 = Ø exterior (3.ª saída) (mm), I = Profundidade de encaixe (mm), L = Comprimento (mm)

08.27 Screw cap - ABS

ABS

Threaded

1 references

Ø	Weight (g)	Pack	REF.	3D
125	-	-	40254203125	-

Dimension key: Ø = Diâmetro (mm)

08.28 Screw cap - INOX

PVC-U

Threaded

3 references

Ø	Weight (g)	Pack	REF.	3D
90	-	80	40259203090	-
110	-	50	40259203110	-
125	-	40	40259203125	-

Dimension key: Ø = Diâmetro (mm)

08.29 Syphon adjustable cap

PVC-U

Connection: not defined

2 references

Ø	Weight (g)	Pack	REF.	3D
110	-	-	40252265110	-
125	-	-	40252265125	-

Dimension key: Ø = Diâmetro (mm)

08.30 Ring - INOX

PVC-U

Connection: not defined

3 references

Ø	Weight (g)	Pack	REF.	3D
90	-	-	40259228090	-
110	-	-	40259228110	-
125	-	-	40259228125	-

Dimension key: Ø = Diâmetro (mm)