

PLIMAT

Family 15

Braçadeiras PP

Products	5
References	341

15.05 Clamp saddle with reinforce

Material: not defined Threaded 91 references

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
16	" 1/2	61	36	2 (M6x40)	10	56	B 70	02152000092	-
20	" 1/2	61	36	2 (M6x40)	10	61	C 200	02152000001	-
20	" 3/4	65	40	2 (M6x40)	10	72	C 200	02152000094	-
20	1 "	76	45	2 (M6x40)	10	85	C 200	02152000095	-
25	" 1/2	61	36	2 (M6x40)	10	62	C 200	02152000003	-
25	" 3/4	61	36	2 (M6x40)	10	70	C 180	02152000004	-
25	1 "	76	45	2 (M6x40)	10	84	C 150	02152000097	-
32	" 1/2	76	45	2 (M8x60)	10	130	C 100	02152000005	-
32	" 3/4	76	45	2 (M8x60)	10	125	C 100	02152000006	-
32	1 "	76	45	2 (M8x60)	10	146	C 100	02152000007	-
40	" 1/2	76	55	2 (M8x60)	10	134	C 100	02152000008	-
40	" 3/4	76	55	2 (M8x60)	10	143	C 100	02152000009	-
40	1 "	76	55	2 (M8x60)	10	140	C 90	02152000010	-
50	" 1/2	83	60	2 (M8x60)	10	150	C 80	02152000011	-
50	" 3/4	83	60	2 (M8x60)	10	158	C 80	02152000012	-
50	1 "	83	60	2 (M8x60)	10	160	C 70	02152000013	-
63	" 1/2	102	69	4 (M8x60)	10	255	C 50	02152000014	-
63	" 3/4	102	69	4 (M8x60)	10	257	C 50	02152000015	-
63	1 "	102	69	4 (M8x60)	10	273	C 50	02152000016	-
63	1" 1/4	102	69	4 (M8x60)	10	277	C 50	02152000017	-
63	1" 1/2	102	69	4 (M8x60)	10	299	C 45	02152000018	-
75	" 1/2	120	95	4 (M8x60)	10	355	C 30	02152000019	-
75	" 3/4	120	95	4 (M8x60)	10	358	C 30	02152000020	-
75	" 1	120	95	4 (M8x60)	10	368	C 30	02152000021	-
75	1" 1/4	120	95	4 (M8x60)	10	376	C 30	02152000022	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
75	1" 1/2	120	95	4 (M8x60)	10	381	C 30	02152000023	-
75	2"	120	95	4 (M8x60)	10	387	C 30	02152000089	-
90	" 1/2	132	115	6 (M8x60)	10	498	C 20	02152000024	-
90	" 3/4	132	115	6 (M8x60)	10	502	C 20	02152000025	-
90	1 "	132	115	6 (M8x60)	10	514	C 20	02152000026	-
90	1" 1/4	132	115	6 (M8x60)	10	523	C 20	02152000027	-
90	1" 1/2	132	115	6 (M8x60)	10	530	C 20	02152000028	-
90	2"	132	115	6 (M8x60)	10	542	C 16	02152000090	-
110	" 1/2	153	129	6 (M8x60)	10	622	C 12	02152000029	-
110	" 3/4	153	129	6 (M8x60)	10	628	C 12	02152000030	-
110	1 "	153	129	6 (M8x60)	10	628	C 12	02152000031	-
110	1" 1/4	153	129	6 (M8x60)	10	628	C 12	02152000032	-
110	1" 1/2	153	129	6 (M8x60)	10	648	C 12	02152000033	-
110	2 "	153	129	6 (M8x60)	10	648	C 12	02152000034	-
125	1"	176	130	6 (M8x60)	10	675	C 12	02152000036	-
125	1 "1/4	176	130	6 (M8x60)	10	680	C 12	02152000037	-
125	1 "1/2	176	130	6 (M8x60)	10	689	C 12	02152000038	-
125	2 "	176	130	6 (M8x60)	10	685	C 12	02152000039	-
140	1 "	192	135	6 (M8x60)	10	800	C 10	02152000041	-
140	1" 1/4	192	135	6 (M8x60)	10	803	C 10	02152000042	-
140	1" 1/2	192	135	6 (M8x60)	10	803	C 10	02152000043	-
140	2 "	192	135	6 (M8x60)	10	825	C 10	02152000044	-
140	2" 1/2	192	135	6 (M8x60)	6	830	C 8	02152000045	-
140	3 "	192	135	6 (M8x60)	6	837	C 8	02152000046	-
160	1 "	212	135	6 (M8x60)	10	874	C 8	02152000048	-
160	1" 1/4	212	135	6 (M8x60)	10	878	C 8	02152000049	-
160	1" 1/2	212	135	6 (M8x60)	10	881	C 8	02152000050	-
160	2 "	212	135	6 (M8x60)	10	891	C 8	02152000051	-
160	3 "	212	135	6 (M8x60)	6	925	C 8	02152000053	-
200	1 "	252	140	6 (M8x60)	10	1010	C 6	02152000055	-
200	1" 1/4	252	140	6 (M8x60)	10	1040	C 6	02152000056	-
200	1" 1/2	252	140	6 (M8x60)	10	1046	C 6	02152000057	-
200	2 "	252	140	6 (M8x60)	10	1063	C 6	02152000058	-
200	3 "	252	140	6 (M8x60)	6	1110	C 4	02152000060	-
225	1" 1/4	294	170	6 (M10x80)	6	1760	C 3	02152000062	-
225	1 "1/2	294	170	6 (M10x80)	6	1760	C 3	02152000063	-
225	2 "	294	170	6 (M10x80)	6	1780	C 3	02152000064	-
225	2" 1/2	294	170	6 (M10x80)	4	1790	C 3	02152000065	-
225	3 "	294	170	6 (M10x80)	4	1750	C 3	02152000066	-
225	4 "	294	170	6 (M10x80)	4	1830	C 3	02152000067	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
250	1 " 1/4	320	180	6 (M10x80)	6	2090	C 2	02152000070	-
250	1" 1/2	320	180	6 (M10x80)	6	2090	C 2	02152000071	-
250	2 "	320	180	6 (M10x80)	6	2110	C 2	02152000072	-
250	2 " 1/2	320	180	6 (M10x80)	4	2110	C 2	02152000073	-
250	3 "	320	180	6 (M10x80)	4	2130	C 2	02152000074	-
250	4 "	320	180	6 (M10x80)	4	2220	C 2	02152000075	-
315	1" 1/4	390	200	6 (M10x80)	6	2810	C 1	02152000080	-
315	1" 1/2	390	200	6 (M10x80)	6	2820	C 1	02152000081	-
315	2 "	390	200	6 (M10x80)	6	2830	C 1	02152000082	-
315	2" 1/2	390	200	6 (M10x80)	4	2840	C 1	02152000083	-
315	3 "	390	200	6 (M10x80)	4	2850	C 1	02152000084	-
315	4 "	390	200	6 (M10x80)	4	2880	C 1	02152000085	-

Dimension key: d = Ø exterior do tubo (mm), G = Rosca (in), L = Comprimento (mm), Paraf = Parafusos (un), PN/Bar = Pressão nominal (bar)

«O» ring gasket

DI	W	Weight (g)	Pack	REF.	3D
13.11	2.62	-	-	40908093002	-
13.87	3.53	-	-	40908093006	-
18.64	3.53	-	-	40908093008	-
-	-	-	-	40908093014	-
-	-	-	-	40908093017	-
40.87	3.53	-	-	40908093054	-
53.90	3.53	-	-	40908093029	-
56.00	6.00	-	-	40908093112	-
63.09	3.53	-	-	40908093031	-
64.00	6.00	-	-	40908093113	-
65.09	3.53	-	-	40908093032	-
70.00	6.00	-	-	40908093114	-
71.44	3.53	-	-	40908093048	-
-	-	-	-	40908093070	-

Dimension key: DI = Ø interior (mm), W = Largura (mm)

15.09 Clamp saddle without reinforce

Material: not defined Threaded 55 references

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
16	" 3/8	61	36	2 (M6x40)	10	56	B 70	02152001091	-
16	" 1/2	76	55	2 (M6x40)	10	56	B 70	02152001092	-
20	" 3/8	61	36	2 (M6x40)	10	65	C 200	02152001093	-
20	" 1/2	61	36	2 (M6x40)	10	56	C 200	02152001001	-
20	" 3/4	65	40	2 (M6x40)	10	65	C 200	02152001094	-
20	1"	76	45	2 (M6x40)	10	76	C 200	02152001095	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
25	" 3/8	61	36	2 (M6x40)	10	55	C 200	02152001096	-
25	" 1/2	61	36	2 (M6x40)	10	55	C 200	02152001003	-
25	" 3/4	61	36	2 (M6x40)	10	63	C 180	02152001004	-
25	1"	76	45	2 (M6x40)	10	75	C 150	02152001097	-
32	" 1/2	76	45	2 (M8x60)	10	123	C 100	02152001005	-
32	" 3/4	76	45	2 (M8x60)	10	120	C 100	02152001006	-
32	1 "	76	45	2 (M8x60)	10	139	C 100	02152001007	-
40	" 1/2	76	55	2 (M8x60)	10	127	C 100	02152001008	-
40	" 3/4	76	55	2 (M8x60)	10	136	C 100	02152001009	-
40	1 "	76	55	2 (M8x60)	10	130	C 90	02152001010	-
50	" 1/2	83	60	2 (M8x60)	10	143	C 80	02152001011	-
50	" 3/4	83	60	2 (M8x60)	10	151	C 80	02152001012	-
50	1 "	83	60	2 (M8x60)	10	150	C 70	02152001013	-
63	" 1/2	102	69	4 (M8x60)	10	250	C 50	02152001014	-
63	" 3/4	102	69	4 (M8x60)	10	250	C 50	02152001015	-
63	1 "	102	69	4 (M8x60)	10	263	C 50	02152001016	-
63	1" 1/4	102	69	4 (M8x60)	10	267	C 50	02152001017	-
63	1" 1/2	102	69	4 (M8x60)	10	290	C 45	02152001018	-
75	" 1/2	120	95	4 (M8x60)	10	348	C 30	02152001019	-
75	" 3/4	120	95	4 (M8x60)	10	350	C 30	02152001020	-
75	1 "	120	95	4 (M8x60)	10	358	C 30	02152001021	-
75	1" 1/4	120	95	4 (M8x60)	10	368	C 30	02152001022	-
75	1" 1/2	120	95	4 (M8x60)	10	371	C 30	02152001023	-
75	2"	120	95	4 (M8x60)	10	372	C 30	02152001089	-
90	" 1/2	132	115	6 (M8x60)	10	490	C 20	02152001024	-
90	" 3/4	132	115	6 (M8x60)	10	495	C 20	02152001025	-
90	1 "	132	115	6 (M8x60)	10	504	C 20	02152001026	-
90	1" 1/4	132	115	6 (M8x60)	10	513	C 20	02152001027	-
90	1" 1/2	132	115	6 (M8x60)	10	520	C 20	02152001028	-
90	2"	132	115	6 (M8x60)	10	520	C 16	02152001090	-
110	" 1/2	153	129	6 (M8x60)	10	612	C 12	02152001029	-
110	" 3/4	153	129	6 (M8x60)	10	618	C 12	02152001030	-
110	1 "	153	129	6 (M8x60)	10	618	C 12	02152001031	-
110	1" 1/4	153	129	6 (M8x60)	10	620	C 12	02152001032	-
110	1" 1/2	153	129	6 (M8x60)	10	638	C 12	02152001033	-
110	2 "	153	129	6 (M8x60)	10	638	C 12	02152001034	-
125	1"	176	130	6 (M8x60)	10	665	C 12	02152001036	-
125	1 "1/4	176	130	6 (M8x60)	10	680	C 12	02152001037	-
125	1 "1/2	176	130	6 (M8x60)	10	680	C 12	02152001038	-
125	2 "	176	130	6 (M8x60)	10	680	C 12	02152001039	-

Dimension key: d = Ø exterior do tubo (mm), G = Rosca (in), L = Comprimento (mm), Paraf = Parafusos (un), PN/Bar = Pressão nominal (bar)

«O» ring gasket

DI	W	Weight (g)	Pack	REF.	3D
13.11	2.62	-	-	40908093002	-
13.87	3.53	-	-	40908093006	-
18.64	3.53	-	-	40908093008	-
-	-	-	-	40908093014	-
-	-	-	-	40908093017	-
40.87	3.53	-	-	40908093054	-
53.90	3.53	-	-	40908093029	-
63.09	3.53	-	-	40908093031	-
65.09	3.53	-	-	40908093032	-

Dimension key: DI = Ø interior (mm), W = Largura (mm)

15.14 Clamp saddle with reinforce NPT

Material: not defined Threaded 82 references

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
25	" 1/2	61	36	2 (M6x40)	10	62	C 200	02152704003	-
25	" 3/4	61	36	2 (M6x40)	10	70	C 180	02152704004	-
32	" 1/2	76	45	2 (M8x60)	10	130	C 100	02152704005	-
32	" 3/4	76	45	2 (M8x60)	10	137	C 100	02152704006	-
32	1 "	76	45	2 (M8x60)	10	146	C 100	02152704007	-
40	" 1/2	76	55	2 (M8x60)	10	134	C 100	02152704008	-
40	" 3/4	76	55	2 (M8x60)	10	143	C 100	02152704009	-
40	1 "	76	55	2 (M8x60)	10	130	C 90	02152704010	-
50	" 1/2	83	60	2 (M8x60)	10	150	C 80	02152704011	-
50	" 3/4	83	60	2 (M8x60)	10	158	C 80	02152704012	-
50	1 "	83	60	2 (M8x60)	10	166	C 70	02152704013	-
63	" 1/2	102	69	4 (M8x60)	10	255	C 50	02152704014	-
63	" 3/4	102	69	4 (M8x60)	10	257	C 50	02152704015	-
63	1 "	102	69	4 (M8x60)	10	273	C 50	02152704016	-
63	1" 1/4	102	69	4 (M8x60)	10	277	C 50	02152704017	-
63	1" 1/2	102	69	4 (M8x60)	10	299	C 45	02152704018	-
75	" 1/2	120	95	4 (M8x60)	10	355	C 30	02152704019	-
75	" 3/4	120	95	4 (M8x60)	10	358	C 30	02152704020	-
75	1 "	120	95	4 (M8x60)	10	368	C 30	02152704021	-
75	1" 1/2	120	95	4 (M8x60)	10	381	C 30	02152704023	-
90	" 1/2	132	115	6 (M8x60)	10	498	C 20	02152704024	-
90	" 3/4	132	115	6 (M8x60)	10	502	C 20	02152704025	-
90	1 "	132	115	6 (M8x60)	10	514	C 20	02152704026	-
90	1" 1/4	132	115	6 (M8x60)	10	523	C 20	02152704027	-
90	1" 1/2	132	115	6 (M8x60)	10	530	C 20	02152704028	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
110	" 1/2	153	129	6 (M8x60)	10	622	C 12	02152704029	-
110	" 3/4	153	129	6 (M8x60)	10	628	C 12	02152704030	-
110	1 "	153	129	6 (M8x60)	10	628	C 12	02152704031	-
110	1" 1/4	153	129	6 (M8x60)	10	628	C 12	02152704032	-
110	1" 1/2	153	129	6 (M8x60)	10	648	C 12	02152704033	-
110	2 "	153	129	6 (M8x60)	10	648	C 12	02152704034	-
125	1"	176	130	6 (M8x60)	10	675	C 12	02152704036	-
125	1 "1/4	176	130	6 (M8x60)	10	680	C 12	02152704037	-
125	1 "1/2	176	130	6 (M8x60)	10	689	C 12	02152704038	-
125	2 "	176	130	6 (M8x60)	10	685	C 12	02152704039	-
140	1 "	192	135	6 (M8x60)	10	800	C 10	02152704041	-
140	1" 1/4	192	135	6 (M8x60)	10	803	C 10	02152704042	-
140	1" 1/2	192	135	6 (M8x60)	10	803	C 10	02152704043	-
140	2 "	192	135	6 (M8x60)	10	825	C 10	02152704044	-
140	2" 1/2	192	135	6 (M8x60)	6	830	C 8	02152704045	-
140	3 "	192	135	6 (M8x60)	6	837	C 8	02152704046	-
160	1 "	212	135	6 (M8x60)	10	874	C 8	02152704048	-
160	1" 1/4	212	135	6 (M8x60)	10	878	C 8	02152704049	-
160	1" 1/2	212	135	6 (M8x60)	10	881	C 8	02152704050	-
160	2 "	212	135	6 (M8x60)	10	891	C 8	02152704051	-
160	3 "	212	135	6 (M8x60)	6	925	C 8	02152704053	-
200	1 "	252	140	6 (M8x60)	10	1010	C 6	02152704055	-
200	1" 1/2	252	140	6 (M8x60)	10	1046	C 6	02152704057	-
200	2 "	252	140	6 (M8x60)	10	1063	C 6	02152704058	-
200	3 "	252	140	6 (M8x60)	6	1110	C 4	02152704060	-
225	1" 1/4	294	170	6 (M10x80)	6	1760	C 3	02152704062	-
225	1 "1/2	294	170	6 (M10x80)	6	1760	C 3	02152704063	-
225	2 "	294	170	6 (M10x80)	6	1780	C 3	02152704064	-
225	2" 1/2	294	170	6 (M10x80)	4	1790	C 3	02152704065	-
225	3 "	294	170	6 (M10x80)	4	1750	C 3	02152704066	-
225	4 "	294	170	6 (M10x80)	4	1830	C 3	02152704067	-
250	1 " 1/4	320	180	6 (M10x80)	6	2090	C 2	02152704070	-
250	1" 1/2	320	180	6 (M10x80)	6	2090	C 2	02152704071	-
250	2 "	320	180	6 (M10x80)	6	2110	C 2	02152704072	-
250	2 " 1/2	320	180	6 (M10x80)	4	2110	C 2	02152704073	-
250	3 "	320	180	6 (M10x80)	4	2130	C 2	02152704074	-
250	4 "	320	180	6 (M10x80)	4	2220	C 2	02152704075	-
315	1" 1/4	390	200	6 (M10x80)	6	2810	C 1	02152704080	-
315	1" 1/2	390	200	6 (M10x80)	6	2820	C 1	02152704081	-
315	2 "	390	200	6 (M10x80)	6	2830	C 1	02152704082	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
315	2" 1/2	390	200	6 (M10x80)	4	2840	C 1	02152704083	-
315	3 "	390	200	6 (M10x80)	4	2850	C 1	02152704084	-
315	4 "	390	200	6 (M10x80)	4	2880	C 1	02152704085	-

Dimension key: d = Ø exterior do tubo (mm), G = Rosca (in), L = Comprimento (mm), Paraf = Parafusos (un), PN/Bar = Pressão nominal (bar)

«O» ring gasket

DI	W	Weight (g)	Pack	REF.	3D
13.11	2.62	-	-	40908093002	-
13.87	3.53	-	-	40908093006	-
18.64	3.53	-	-	40908093008	-
-	-	-	-	40908093014	-
-	-	-	-	40908093017	-
40.87	3.53	-	-	40908093054	-
53.90	3.53	-	-	40908093029	-
56.00	6.00	-	-	40908093112	-
63.09	3.53	-	-	40908093031	-
64.00	6.00	-	-	40908093113	-
65.09	3.53	-	-	40908093032	-
70.00	6.00	-	-	40908093114	-
71.44	3.53	-	-	40908093048	-
-	-	-	-	40908093070	-

Dimension key: DI = Ø interior (mm), W = Largura (mm)

15.18 Clamp saddle without reinforce NPT

Material: not defined Threaded 45 references

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
25	" 1/2	61	36	2 (M6x40)	10	55	C 200	02152705003	-
25	" 3/4	61	36	2 (M6x40)	10	63	C 180	02152705004	-
32	" 1/2	76	45	2 (M8x60)	10	123	C 100	02152705005	-
32	" 3/4	76	45	2 (M8x60)	10	130	C 100	02152705006	-
32	1 "	76	45	2 (M8x60)	10	139	C 100	02152705007	-
40	" 1/2	76	55	2 (M8x60)	10	127	C 100	02152705008	-
40	" 3/4	76	55	2 (M8x60)	10	136	C 100	02152705009	-
40	1 "	76	55	2 (M8x60)	10	120	C 90	02152705010	-
50	" 1/2	83	60	2 (M8x60)	10	143	C 80	02152705011	-
50	" 3/4	83	60	2 (M8x60)	10	151	C 80	02152705012	-
50	1 "	83	60	2 (M8x60)	10	156	C 70	02152705013	-
63	" 1/2	102	69	4 (M8x60)	10	250	C 50	02152705014	-
63	" 3/4	102	69	4 (M8x60)	10	250	C 50	02152705015	-
63	1 "	102	69	4 (M8x60)	10	263	C 50	02152705016	-
63	1" 1/4	102	69	4 (M8x60)	10	267	C 50	02152705017	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
63	1" 1/2	102	69	4 (M8x60)	10	290	C 45	02152705018	-
75	" 1/2	120	95	4 (M8x60)	10	348	C 30	02152705019	-
75	" 3/4	120	95	4 (M8x60)	10	350	C 30	02152705020	-
75	1 "	120	95	4 (M8x60)	10	358	C 30	02152705021	-
75	1" 1/2	120	95	4 (M8x60)	10	371	C 30	02152705023	-
90	" 1/2	132	115	6 (M8x60)	10	490	C 20	02152705024	-
90	" 3/4	132	115	6 (M8x60)	10	495	C 20	02152705025	-
90	1 "	132	115	6 (M8x60)	10	504	C 20	02152705026	-
90	1" 1/4	132	115	6 (M8x60)	10	513	C 20	02152705027	-
90	1" 1/2	132	115	6 (M8x60)	10	520	C 20	02152705028	-
110	" 1/2	153	129	6 (M8x60)	10	612	C 12	02152705029	-
110	" 3/4	153	129	6 (M8x60)	10	618	C 12	02152705030	-
110	1 "	153	129	6 (M8x60)	10	618	C 12	02152705031	-
110	1" 1/4	153	129	6 (M8x60)	10	620	C 12	02152705032	-
110	1" 1/2	153	129	6 (M8x60)	10	638	C 12	02152705033	-
110	2 "	153	129	6 (M8x60)	10	638	C 12	02152705034	-
125	1"	176	130	6 (M8x60)	10	665	C 12	02152705036	-
125	1 "1/4	176	130	6 (M8x60)	10	680	C 12	02152705037	-
125	1 "1/2	176	130	6 (M8x60)	10	680	C 12	02152705038	-
125	2 "	176	130	6 (M8x60)	10	680	C 12	02152705039	-

Dimension key: d = Ø exterior do tubo (mm), G = Rosca (in), L = Comprimento (mm), Paraf = Parafusos (un), PN/Bar = Pressão nominal (bar)

«O» ring gasket

DI	W	Weight (g)	Pack	REF.	3D
13.11	2.62	-	-	40908093002	-
13.87	3.53	-	-	40908093006	-
18.64	3.53	-	-	40908093008	-
-	-	-	-	40908093014	-
-	-	-	-	40908093017	-
40.87	3.53	-	-	40908093054	-
53.90	3.53	-	-	40908093029	-
63.09	3.53	-	-	40908093031	-
65.09	3.53	-	-	40908093032	-
71.44	3.53	-	-	40908093048	-

Dimension key: DI = Ø interior (mm), W = Largura (mm)

15.11 Clamp saddle with reinforce - screwnuts stainless steel A2

Material: not defined **Threaded** 68 references

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
16	" 1/2	61	36	2 (M6x40)	10	61	B 70	02182000092	-
20	" 1/2	61	36	2 (M6x40)	10	61	C 200	02182000001	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
20	" 3/4	65	40	2 (M6x40)	10	72	C 200	02182000094	-
20	1"	76	45	2 (M6x40)	10	85	C 200	02182000095	-
25	" 1/2	61	36	2 (M6x40)	10	62	C 200	02182000003	-
25	" 3/4	61	36	2 (M6x40)	10	70	C 180	02182000004	-
25	1"	76	45	2 (M6x40)	10	84	C 150	02182000097	-
32	" 1/2	76	45	2 (M8x60)	10	130	C 100	02182000005	-
32	" 3/4	76	45	2 (M8x60)	10	125	C 100	02182000006	-
32	1 "	76	45	2 (M8x60)	10	146	C 100	02182000007	-
40	" 1/2	76	55	2 (M8x60)	10	134	C 100	02182000008	-
40	" 3/4	76	55	2 (M8x60)	10	143	C 100	02182000009	-
40	1 "	76	55	2 (M8x60)	10	140	C 90	02182000010	-
50	" 1/2	83	60	2 (M8x60)	10	150	C 80	02182000011	-
50	" 3/4	83	60	2 (M8x60)	10	158	C 80	02182000012	-
50	1 "	83	60	2 (M8x60)	10	160	C 70	02182000013	-
63	" 1/2	102	69	4 (M8x60)	10	255	C 50	02182000014	-
63	" 3/4	102	69	4 (M8x60)	10	257	C 50	02182000015	-
63	1 "	102	69	4 (M8x60)	10	273	C 50	02182000016	-
63	1" 1/4	102	69	4 (M8x60)	10	277	C 50	02182000017	-
63	1" 1/2	102	69	4 (M8x60)	10	299	C 45	02182000018	-
75	" 1/2	120	95	4 (M8x60)	10	355	C 30	02182000019	-
75	" 3/4	120	95	4 (M8x60)	10	358	C 30	02182000020	-
75	1 "	120	95	4 (M8x60)	10	368	C 30	02182000021	-
75	1" 1/4	120	95	4 (M8x60)	10	376	C 30	02182000022	-
75	1" 1/2	120	95	4 (M8x60)	10	381	C 30	02182000023	-
75	2"	120	95	4 (M8x60)	10	387	C 30	02182000089	-
90	" 1/2	132	115	6 (M8x60)	10	498	C 20	02182000024	-
90	" 3/4	132	115	6 (M8x60)	10	502	C 20	02182000025	-
90	1 "	132	115	6 (M8x60)	10	514	C 20	02182000026	-
90	1" 1/4	132	115	6 (M8x60)	10	523	C 20	02182000027	-
90	1" 1/2	132	115	6 (M8x60)	10	530	C 20	02182000028	-
110	" 1/2	153	129	6 (M8x60)	10	622	C 12	02182000029	-
110	" 3/4	153	129	6 (M8x60)	10	628	C 12	02182000030	-
110	1 "	153	129	6 (M8x60)	10	628	C 12	02182000031	-
110	1" 1/4	153	129	6 (M8x60)	10	628	C 12	02182000032	-
110	1" 1/2	153	129	6 (M8x60)	10	648	C 12	02182000033	-
110	2 "	153	129	6 (M8x60)	10	648	C 12	02182000034	-
125	1"	176	130	6 (M8x60)	10	675	C 12	02182000036	-
125	1 "1/4	176	130	6 (M8x60)	10	680	C 12	02182000037	-
125	1 "1/2	176	130	6 (M8x60)	10	689	C 12	02182000038	-
125	2 "	176	130	6 (M8x60)	10	685	C 12	02182000039	-

d	G	L	H	Paraf	PN/Bar	Weight (g)	Pack	REF.	3D
140	1 "	192	135	6 (M8x60)	10	800	C 10	02182000041	-
140	1" 1/4	192	135	6 (M8x60)	10	803	C 10	02182000042	-
140	1" 1/2	192	135	6 (M8x60)	10	803	C 10	02182000043	-
140	2 "	192	135	6 (M8x60)	10	825	C 10	02182000044	-
140	2" 1/2	192	135	6 (M8x60)	6	830	C 8	02182000045	-
140	3 "	192	135	6 (M8x60)	6	837	C 8	02182000046	-
160	1 "	212	135	6 (M8x60)	10	874	C 8	02182000048	-
160	1" 1/4	212	135	6 (M8x60)	10	878	C 8	02182000049	-
160	1" 1/2	212	135	6 (M8x60)	10	881	C 8	02182000050	-
160	2 "	212	135	6 (M8x60)	10	891	C 8	02182000051	-
160	3 "	212	135	6 (M8x60)	6	925	C 8	02182000053	-
200	1 "	252	140	6 (M8x60)	10	1010	C 6	02182000055	-
200	1" 1/4	252	140	6 (M8x60)	10	1040	C 6	02182000056	-
200	1" 1/2	252	140	6 (M8x60)	10	1046	C 6	02182000057	-
200	2 "	252	140	6 (M8x60)	10	1063	C 6	02182000058	-
200	3 "	252	140	6 (M8x60)	6	1110	C 4	02182000060	-

Dimension key: d = Ø exterior do tubo (mm), G = Rosca (in), L = Comprimento (mm), Paraf = Parafusos (un), PN/Bar = Pressão nominal (bar)

«O» ring gasket

DI	W	Weight (g)	Pack	REF.	3D
13.11	2.62	-	-	40908093002	-
13.87	3.53	-	-	40908093006	-
18.64	3.53	-	-	40908093008	-
-	-	-	-	40908093014	-
-	-	-	-	40908093017	-
40.87	3.53	-	-	40908093054	-
53.90	3.53	-	-	40908093029	-
63.09	3.53	-	-	40908093031	-
65.09	3.53	-	-	40908093032	-
71.44	3.53	-	-	40908093048	-

Dimension key: DI = Ø interior (mm), W = Largura (mm)