

PLIMAT

Famille 23

Acessórios de colar PVC BS polegadas

Produits 13

Références 153

23.05 Coudes à 90°

PVC-U À coller / souder 10 références 5 avec fichier CAO

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
½"	27	28	11	18	B 120	01071001012	sim
¾"	32.5	33	13	23	B 90	01071001034	sim
1"	42	39	16	48	B 50	01071001100	sim
1¼"	50	47	21	70	C 100	01071001114	-
1½"	58	57	26	114	C 64	01071001150	sim
2"	73	72	34	247	C 30	01071001200	sim
2½"	87.5	82	38	318	C 20	01071001250	-
3"	105	97	46	565	C 12	01071001300	-
4"	132	122	58	1108	D 16	01071001400	-
5"	162	149	72	1990	D 8	01071001500	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.06 Tés à 90°

PVC-U À coller / souder 10 références 5 avec fichier CAO

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
½"	27	28	11	23	B 100	01071003012	sim
¾"	33	33	13	37	B 50	01071003034	sim
1"	41	39	16	56	B 30	01071003100	-
1¼"	50	49	21	93	C 70	01071003114	sim
1½"	59.5	57	26	180	C 50	01071003150	sim
2"	73	72	34	335	C 26	01071003200	sim
2½"	88.5	82	38	493	C 14	01071003250	-
3"	105	97	46	744	D 24	01071003300	-
4"	132	122	58	1465	D 12	01071003400	-
5"	162	149	72	2521	D 6	01071003500	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.07 Coudes 45°

PVC-U À coller / souder 10 références 5 avec fichier CAO

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
½"	27.5	21	4	14	B 180	01071067012	sim
¾"	33.5	25	5	23	B 100	01071067034	sim
1"	42	30	7	41	B 60	01071067100	sim
1¼"	51	36	9	66	C 120	01071067114	-
1½"	58	43	11	108	C 80	01071067150	sim
2"	75	53	15	221	C 40	01071067200	sim
2½"	90	62	18	330	C 24	01071067250	-
3"	106	72	21	514	C 14	01071067300	-
4"	132	88.5	25	855	D 20	01071067400	-
5"	162	107	30	1514	D 10	01071067500	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.08 Manchons égaux

PVC-U À coller / souder 11 références 11 avec fichier CAO

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
½"	27	35	1.5	10	B 200	01071005012	sim
¾"	32.5	40.5	1	15	B 120	01071005034	sim
1"	41	47	2	28	B 70	01071005100	sim
1¼"	50	58	3	45	C 180	01071005114	sim
1½"	58	65	3	72	C 120	01071005150	sim
2"	73	79	3	134	C 60	01071005200	sim
2½"	90	94	4	246	C 30	01071005250	sim
3"	106	107	4	399	C 18	01071005300	sim
4"	132	133	5	687	C 12	01071005400	sim
5"	162	162	8	1144	D 14	01071005500	sim
6"	196	188	6	2010	D 10	01071005600	sim

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.09 Bouchons femelle

PVC-U À coller / souder 11 références 11 avec fichier CAO

d	D	I	Poids (g)	Cond.	RÉF.	3D
½"	27	22	7	A 80	01071012012	sim
¾"	32.5	26	11	B 200	01071012034	sim
1"	41	30	20	B 120	01071012100	sim
1¼"	50	38	33	B 80	01071012114	sim
1½"	58	43	62	C 200	01071012150	sim
2"	73	50	98	C 120	01071012200	sim

d	D	I	Poids (g)	Cond.	RÉF.	3D
2" ¹ / ₂	90	60	182	C 60	01071012250	sim
3"	106	68	277	C 38	01071012300	sim
4"	134	90	562	C 18	01071012400	sim
5"	162	110	926	C 10	01071012500	sim
6"	196	132	1694	C 6	01071012600	sim

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.10 Réductions courtes

PVC-U À coller / souder 10 références

d	d1	I	Z	Fig	Poids (g)	Cond.	RÉF.	3D
1" ¹ / ₄	1"	27	4	A	19	B 140	01071080012	-
2"	1"	38	15	B	65	B 50	01071080017	-
2"	1" ¹ / ₄	38	12	B	60	B 50	01071080018	-
2"	1" ¹ / ₂	38	7	A	54	B 50	01071080019	-
2" ¹ / ₂	1" ¹ / ₄	44	16	B	104	C 100	01071080020	-
2" ¹ / ₂	1" ¹ / ₂	44	13	B	110	C 100	01071080021	-
2" ¹ / ₂	2"	44	6	A	94	C 100	01071080022	-
3"	1" ¹ / ₂	51	19	B	150	C 60	01071080023	-
3"	2"	51	13	B	151	C 60	01071080024	-
3"	2" ¹ / ₂	51	7	A	126	C 60	01071080025	-

Légende des cotes: d = Ø exterior do tubo (in), d1 = Ø exterior do tubo (2.^a saída) (in), I = Profundidade de encaixe (mm), Fig = Figura (un)

23.11 Tés à 45°

PVC-U À coller / souder 4 références 4 avec fichier CAO

d	D	I	Z	Z1	Poids (g)	Cond.	RÉF.	3D
" ¹ / ₂	27	68	29	7	28	B 80	01071344012	sim
" ³ / ₄	33	81	35	8	46	B 50	01071344034	sim
1"	41	97	43	9	80	B 30	01071344100	sim
1" ¹ / ₄	50	118	54	11	125	C 55	01071344114	sim

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.12 Manchons union pour piscines femelle/femelle

PVC-U À coller / souder 36 références 1 avec fichier CAO

d	G	I1	I2	Z1	Z2	D	D1	Poids (g)	Cond.	RÉF.	3D
" ¹ / ₂	1"	20	27	3	9	40	27	31	B 100	01071278012	-
" ³ / ₄	1 " ¹ / ₄	23	29	3	9	51	35	58	B 50	01071278034	-
1"	1 " ¹ / ₂	27	31	3	9	57	41	73	B 40	01071278100	-
1" ¹ / ₄	2 "	30	41	3	9	71	52	136	C 75	01071278114	-
1" ¹ / ₂	2" ¹ / ₄	34	45	3	14	77	59	186	C 60	01071278150	-
2"	2 " ³ / ₄	41	52	3	14	93	74	322	C 36	01071278200	-
75	3 " ¹ / ₂	48	57	4	13	115	91	515	C 16	01051278075	sim

d	G	I1	I2	Z1	Z2	D	D1	Poids (g)	Cond.	RÉF.	3D
3"	4"	59	66	7	14.5	132	104	720	C 12	01071278300	-
4"	5"	67	76	7	14.5	165	129	1190	C 6	01071278400	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca (in), I1 = Profundidade de encaixe (2) (mm), I2 = Profundidade de encaixe (3) (mm), D = Ø exterior do acessório (mm), D1 = Ø exterior do acessório (2) (mm)

Ecrous pour piscines

d	G	I	D	Poids (g)	Cond.	RÉF.	3D
" 1/2	1"	20	40	13	-	01011274012	-
"3/4	1" 1/4	23	51	23	-	01011274034	-
1"	1" 1/2	25	57	28	-	01011274100	-
1" 1/4	2"	27	71	47	-	01011274114	-
1" 1/2	2" 1/4	30	77	60	-	01011274150	-
2"	2" 3/4	37	93	97	-	01011274200	-
2" 1/2	3" 1/2	45	115	163	-	01011274250	-
3"	4"	45	132	245	-	01011274300	-
4"	5"	59	165	525	-	01011274400	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca (in), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

Pièces folles pour piscines

d	I	A	D	Z	Poids (g)	Cond.	RÉF.	3D
" ½	20	29.5	27	3	7	-	01071275012	-
" ¾	23	33	30	3	14	-	01071275034	-
1"	26	39	36	3	18	-	01071275100	-
1"¼	30	56	52	3	33	-	01071275114	-
1"½	34	62	59	3	47	-	01071275150	-
2"	41	78	74	3	91	-	01071275200	-
75	49	97	91	5	144	-	01051275075	-
3"	59	109	104	7	212	-	01071275300	-
4"	67	135.5	129	7	274	-	01071275400	-

Légende des cotes: d = Ø exterior do tubo (in), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

Pièces folles filetées pour piscines

d	G	I	Z	E	F	H	D	Poids (g)	Cond.	RÉF.	3D
" ½	1"	27	9	25.4	3	2	27	12	-	01071276012	-
" ¾	1 " ¼	29	9	35.2	4.5	2.5	35	21	-	01071276034	-
1"	1 " ½	31	9	39.8	4.5	2.5	41	26	-	01071276100	-
1"¼	2 "	41	13	50.8	7	4	52	54	-	01071276114	-
1"½	2" ¼	45	14	57	7	4	67	67	-	01071276150	-
2"	2 " ¾	52	14	70	7	4	74	127	-	01071276200	-
75	3 " ½	57	13	85	7	4	91	202	-	01051276075	-
3"	4"	66	14.5	102	7	4	104	260	-	01071276300	-
4"	5"	76	14.5	124	7	4	128	380	-	01071276400	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca (in), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

23.16 Collets avec stries

PVC-U À coller / souder 6 références

d	h	I	A	D	Z	Poids (g)	Cond.	RÉF.	3D
2"	9	41	90	77	3	121	C 80	01071152200	-
2"½	10	47	106	91	3	163	C 55	01071152250	-
3"	11	56	125	108	5	274	C 30	01071152300	-
4"	12	69	150	134	5	424	C 20	01071152400	-
5"	14	83	187	162	6	714	D 22	01071152500	-
6"	16	98	221	196	6	1235	D 14	01071152600	-

Légende des cotes: d = Ø exterior do tubo (in), h = Altura (mm), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

23.17 Manchons égaux BS/MM

PVC-U À coller / souder 10 références 10 avec fichier CAO

d	d1	D	I	Z	Poids (g)	Cond.	RÉF.	3D
" 1/2	20	27	35	1.5	11	B 200	01091005005	sim
" 3/4	25	32.5	40.5	1	17	B 120	01091005006	sim
1 "	32	41	47	2	30	B 70	01091005007	sim
1 " 1/4	40	50	58	3	50	C 180	01091005008	sim
1 " 1/2	50	58	65	3	66	C 120	01091005009	sim
2 "	63	73	79	3	123	C 60	01091005010	sim
2 " 1/2 (73,2)	75	90	94	4	246	C 36	01091005011	sim
3 "	90	106	107	4	376	C 18	01091005012	sim
4 "	110	132	133	5	756	C 12	01091005013	sim
6 "	160	196	188	6	2265	D 10	01091005016	sim

Légende des cotes: d = Ø exterior do tubo (in), d1 = Ø exterior do tubo (2.ª saída) (mm), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

23.18 Tés de réduction à 90° BS/MM

PVC-U À coller / souder 1 références

d	d1	D	D1	I	I1	Z	Z1	Poids (g)	Cond.	RÉF.	3D
40	" 1/2	47	25	49	38	22	21	72	C 100	01091004006	-

Légende des cotes: d = Ø exterior do tubo (mm), d1 = Ø exterior do tubo (2.ª saída) (in), D = Ø exterior do acessório (mm), D1 = Ø exterior do acessório (2) (mm), I = Profundidade de encaixe (mm), I1 = Profundidade de encaixe (2) (mm)

23.16a Brides libres

PVC-U À coller / souder 2 références 2 avec fichier CAO

d	A	B	K	I	Y	Furos	PN	Poids (g)	Cond.	RÉF.	3D
4"	220	138	180	22	18	8	15	527	C 25	01071019400	sim
6"	285	198	240	28	22	8	15	923	C 10	01071019600	sim

Légende des cotes: d = Ø exterior do tubo (in), I = Profundidade de encaixe (mm), Furos = N.º de furos (un), PN = Pressão nominal (bar)

23.19 Manchons union pour piscines BS/MM

PVC-U

À coller / souder

32 références

d	d1	G1	D	D1	I1	I2	Z1	Z2	Poids (g)	Cond.	RÉF.	3D
" ½	20	1"	40	27	20	27	3	10	33	B 100	01091278005	-
" ¾	25	1 " ¼	51	35	23	29	3	10	62	B 40	01091278006	-
1"	32	1 " ½	57	41	27	31	3	10	79	B 30	01091278007	-
1"¼	40	2 "	71	52	30	41	3	22	146	C 75	01091278008	-
1"½	50	2" ¼	77	59	34	45	3	22	184	C 60	01091278009	-
2"	63	2 " ¾	93	74	41	52	3	25	325	C 36	01091278010	-
3"	90	4"	132	104	59	66	7	31	750	C 12	01091278012	-
4"	110	5"	165	129	50	76	15	37	1200	C 6	01091278013	-

Légende des cotes: d = Ø exterior do tubo (in), d1 = Ø exterior do tubo (2.ª saída) (mm), G1 = Rosca (2.ª saída) (in), D = Ø exterior do acessório (mm), D1 = Ø exterior do acessório (2) (mm), I1 = Profundidade de encaixe (2) (mm), I2 = Profundidade de encaixe (3) (mm)

Ecrous pour piscines

d	G	I	D	Poids (g)	Cond.	RÉF.	3D
" 1/2	1"	20	40	13	-	01011274012	-
"3/4	1" 1/4	23	51	23	-	01011274034	-
1"	1" 1/2	25	57	28	-	01011274100	-
1" 1/4	2"	27	71	47	-	01011274114	-
1" 1/2	2" 1/4	30	77	60	-	01011274150	-
2"	2" 3/4	37	93	97	-	01011274200	-
3"	4"	45	132	245	-	01011274300	-
4"	5"	59	165	525	-	01011274400	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca (in), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

Pièces folles pour piscines

d	I	A	D	Z	Poids (g)	Cond.	RÉF.	3D
20	20	29.5	27	3	8	-	01051275020	-
25	23	33	30	3	16	-	01051275025	-
32	26	39	36	3	20	-	01051275032	-
40	30	56	48	3	31	-	01051275040	-
50	34	62	59	3	41	-	01051275050	-
63	41	78	74	3	77	-	01051275063	-
90	59	109	104	7	200	-	01051275090	-
110	67	135.5	129	7	337	-	01051275110	-

Légende des cotes: d = Ø exterior do tubo (mm), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

Pièces folles filetées pour piscines

d	G	I	Z	E	F	H	D	Poids (g)	Cond.	RÉF.	3D
" ½	1"	27	9	25.4	3	2	27	12	-	01071276012	-
" ¾	1 " ¼	29	9	35.2	4.5	2.5	35	21	-	01071276034	-
1"	1 " ½	31	9	39.8	4.5	2.5	41	26	-	01071276100	-

d	G	I	Z	E	F	H	D	Poids (g)	Cond.	RÉF.	3D
1"¼	2 "	41	13	50.8	7	4	52	54	-	01071276114	-
1"½	2" ¼	45	14	57	7	4	67	67	-	01071276150	-
2"	2 " ¾	52	14	70	7	4	74	127	-	01071276200	-
3"	4"	66	14.5	102	7	4	104	260	-	01071276300	-
4"	5"	76	14.5	124	7	4	128	380	-	01071276400	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca (in), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)