

PLIMAT

Famille 27

Acessórios de colar ABS BS polegadas

Produits	10
Références	95

27.05 Coudes à 90°

ABS	À coller / souder	10 références
-----	-------------------	---------------

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
1/2"	27	28	11	14	B 120	04074001012	-
3/4"	32.5	33	13	18	B 90	04074001034	-
1"	42	39	16	37	B 50	04074001100	-
1 1/4"	50	47	21	52	C 100	04074001114	-
1 1/2"	58	57	26	88	C 64	04074001150	-
2"	73	72	34	183	C 30	04074001200	-
2 1/2"	87.5	82	38	247	C 20	04074001250	-
3"	105	97	46	440	C 12	04074001300	-
4"	132	122	58	810	D 16	04074001400	-
5"	162	149	72	1500	D 8	04074001500	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

27.06 Tés à 90°

ABS	À coller / souder	10 références
-----	-------------------	---------------

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
1/2"	27	28	11	18	B 100	04074003012	-
3/4"	33	33	13	28	B 50	04074003034	-
1"	41	39	16	42	B 30	04074003100	-
1 1/4"	50	49	21	69	C 70	04074003114	-
1 1/2"	58	57	26	118	C 50	04074003150	-
2"	73	72	34	250	C 26	04074003200	-
2 1/2"	88.5	82	38	367	C 14	04074003250	-
3"	105	97	46	545	D 24	04074003300	-
4"	132	122	58	1074	D 12	04074003400	-
5"	162	149	72	1932	D 5	04074003500	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

27.07 Coudes 45°

ABS À coller / souder 10 références

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
½"	27.5	21	4	11	B 180	04074067012	-
¾"	33.5	25	5	17	B 100	04074067034	-
1"	42	30	7	31	B 60	04074067100	-
1¼"	51	36	9	50	C 120	04074067114	-
1½"	58	43	11	70	C 80	04074067150	-
2"	75	53	15	168	C 40	04074067200	-
2½"	90	62	18	238	C 20	04074067250	-
3"	106	72	21	381	C 14	04074067300	-
4"	132	88.5	25	630	D 20	04074067400	-
5"	162	107	30	1152	D 10	04074067500	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

27.08 Manchons égaux

ABS À coller / souder 11 références

d	D	I	Z	Poids (g)	Cond.	RÉF.	3D
½"	27	35	1.5	8	B 200	04074005012	-
¾"	32.5	40.5	1	11	B 120	04074005034	-
1"	41	47	2	21	B 70	04074005100	-
1¼"	50	58	3	34	C 180	04074005114	-
1½"	58	65	3	53	C 120	04074005150	-
2"	73	79	3	101	C 60	04074005200	-
2½"	90	94	4	184	C 30	04074005250	-
3"	106	107	4	293	C 18	04074005300	-
4"	132	133	5	500	C 12	04074005400	-
5"	162	162	8	866	D 14	04074005500	-
6"	196	189	8	1492	E 6	04074005600	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

27.09 Bouchons femelle

ABS À coller / souder 11 références

d	D	I	Poids (g)	Cond.	RÉF.	3D
½"	27	22	6	A 80	04074012012	-
¾"	32.5	26	9	B 200	04074012034	-
1"	41	30	15	B 120	04074012100	-
1¼"	50	38	25	B 80	04074012114	-
1½"	58	43	39	C 200	04074012150	-
2"	73	50	73	C 100	04074012200	-

d	D	I	Poids (g)	Cond.	RÉF.	3D
2" ¹ / ₂	90	60	134	C 60	04074012250	-
3"	106	68	208	C 35	04074012300	-
4"	134	90	423	C 18	04074012400	-
5"	162	110	0	C 10	04074012500	-
6"	196	132	1250	C 6	04074012600	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

27.10 Réductions courtes

ABS À coller / souder 7 références

d	d1	I	Z	Fig	Poids (g)	Cond.	RÉF.	3D
2"	1" ¹ / ₂	38	7	A	41	C 160	04074080019	-
2" ¹ / ₂	1" ¹ / ₄	44	16	B	81	C 100	04074080020	-
2" ¹ / ₂	1" ¹ / ₂	44	13	B	84	C 100	04074080021	-
2" ¹ / ₂	2"	44	6	A	71	C 100	04074080022	-
3"	1" ¹ / ₂	51	19	B	150	C 60	04074080023	-
3"	2"	51	13	B	114	C 60	04074080024	-
3"	2" ¹ / ₂	51	7	A	95	C 60	04074080025	-

Légende des cotes: d = Ø exterior do tubo (in), d1 = Ø exterior do tubo (2.^a saída) (in), I = Profundidade de encaixe (mm), Fig = Figura (un)

27.11 Manchons union

ABS À coller / souder 24 références

d	G	D	D1	I1	I2	Z1	Z2	Poids (g)	Cond.	RÉF.	3D
" ¹ / ₂	40x10	46	28	26	20	10	3	39	B 60	04074114012	-
" ³ / ₄	47x10	56	36	28	23	10	3	61	B 40	04074114034	-
1"	53x8	67	42	30	26	10	3	90	B 20	04074114100	-
1" ¹ / ₄	66x8	82	52	41	31	13	3	153	C 60	04074114114	-
1" ¹ / ₂	74x8	88	63	45	35	14	3	198	C 45	04074114150	-
2"	90x8	106	77	52	42	14	3	328	C 30	04074114200	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca, D = Ø exterior do acessório (mm), D1 = Ø exterior do acessório (2) (mm), I1 = Profundidade de encaixe (2) (mm), I2 = Profundidade de encaixe (3) (mm)

Ecrous

d	G	I	D	Poids (g)	Cond.	RÉF.	3D
" ¹ / ₂	40x10	22	46	16	-	04014118012	-
" ³ / ₄	47x10	26	56	26	-	04014118034	-
1"	53x8	28	67	42	-	04014118100	-
1" ¹ / ₄	66x8	30	82	62	-	04014118114	-
1" ¹ / ₂	74x8	31	88	68	-	04014118150	-
2"	90x8	38	106	113	-	04014118200	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca, I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

Pièces folles

d	A	D	I	Z	Poids (g)	Cond.	RÉF.	3D
"½	36	28	20	3	8	-	04074116012	-
"¾	43	36	23	3	13	-	04074116034	-
1"	50	42	26	3	18	-	04074116100	-
1"¼	63	52	31	3	28	-	04074116114	-
1"½	69	63	35	3	48	-	04074116150	-
2"	83	77	42	3	83	-	04074116200	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)

Pièces folles filetées

d	G	I	Z	E	F	H	D	Poids (g)	Cond.	RÉF.	3D
"½	40x10	26	10	28.4	4.3	2.5	28	14	-	04074117012	-
"¾	47x10	28	10	35.5	4.8	2.5	36	21	-	04074117034	-
1"	53x8	30	10	39.6	4.6	2.5	42	29	-	04074117100	-
1"¼	66x8	41	13	51.8	7	4	52	52	-	04074117114	-
1"½	74x8	45	14	57	7	4	63	77	-	04074117150	-
2"	90x8	52	14	70	7	4	77	126	-	04074117200	-

Légende des cotes: d = Ø exterior do tubo (in), G = Rosca, I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

27.15 Collets avec stries

ABS À coller / souder 6 références

d	h	I	A	D	Z	Poids (g)	Cond.	RÉF.	3D
2"	9	41	90	77	3	90	C 80	04074152200	-
2"½	10	47	106	91	3	122	C 55	04074152250	-
3"	11	56	125	108	5	204	C 30	04074152300	-
4"	12	69	150	134	5	307	C 20	04074152400	-
5"	14	83	187	162	6	537	D 22	04074152500	-
6"	16	98	221	196	6	915	D 14	04074152600	-

Légende des cotes: d = Ø exterior do tubo (in), h = Altura (mm), I = Profundidade de encaixe (mm), D = Ø exterior do acessório (mm)

27.16 Brides libres

ABS À coller / souder 2 références

d	A	B	K	I	Y	Furos/Holes	PN	Poids (g)	Cond.	RÉF.	3D
4"	220	138	180	22	18	8	15	400	C 25	04074019400	-
6"	285	240	240	28	22	8	15	700	C 10	04074019600	-

Légende des cotes: d = Ø exterior do tubo (in), I = Profundidade de encaixe (mm), PN = Pressão nominal (bar)

27.17 Tés à 45°

ABS À coller / souder 4 références

d	D	I	Z	Z1	Poids (g)	Cond.	RÉF.	3D
" ½	27	68	29	7	22	B 80	04074344012	-
" ¾	33	81	35	8	35	B 50	04074344034	-
1"	41	97	43	9	60	B 30	04074344100	-

d	D	I	Z	Z1	Poids (g)	Cond.	RÉF.	3D
1" ¼	50	118	54	11	95	C 55	04074344114	-

Légende des cotes: d = Ø exterior do tubo (in), D = Ø exterior do acessório (mm), I = Profundidade de encaixe (mm)