BALL VALVES WITH ACTUATOR

MATERIALS

1
BSR System
1
DPS Positioner
1
2
4
3
5
1 actuator 24-240v ac / 24-135v dc
2 adaptation stem pa gf
3 adaptation seat pa gf
4 screw inox steel
5 screw inox steel
ABREVIATION INTERPRETATION
d - Nominal diametre
G - Nominal diametre of the screw
Quant - Quantity of fittings that each box contains
Gr - Approximate weight of fittings in grams
B - Box 29x23x16.5
C - Box 39 x 29 x 31
T - Box 33 x 24 x 12
U - Box 45 x 27 x 18
For further details please consult information brochure

Válvula de colar F/F - PVC-U


PVC-U - Cement jointing valve F/F

Vanne à coller F/F - PVC-U

PVC-U - Válvula de encolar F/F



74 61 1077 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	74 61 1077 016
	20	15	16	S20 * 11	1910	T 1	74 61 1077 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 61 1300 025**
	25	25	16	S20 * 14	2120	T 1	74 61 1077 025
	32	25	16	S20 * 14	2130	T 1	74 61 1077 032
	40	40	16	S20 * 14	2570	T 1	74 61 1077 040
	50	40	16	S20 * 14	2580	T 1	74 61 1077 050
	60	50	16	S20 * 14	3120	U 1	74 61 1077 060
	63	50	16	S20 * 14	3120	U 1	74 61 1077 063
	75	65	10	S55 * 17	4765	U 1	74 61 1077 075
	85	80	10	S55 * 17	5980	U 1	74 61 1077 085
	90	80	10	S55 * 17	5980	U 1	74 61 1077 090
	110	80	10	S55 * 17	5990	U 1	74 61 1077 110

Válvula de colar F/F - PVC-U - TEFLON-VITON


PVC-U - Cement jointing valve F/F - TEFLON-VITON

Vanne à coller F/F - PVC-U - TEFLON-VITON

PVC-U - Válvula de encolar F/F - TEFLON-VITON



74 61 1296 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	74 61 1296 016
	20	15	16	S20 * 11	1910	T 1	74 61 1296 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 61 1297 025**
	25	25	16	S20 * 14	2120	T 1	74 61 1296 025
	32	25	16	S20 * 14	2130	T 1	74 61 1296 032
	40	40	16	S20 * 14	2570	T 1	74 61 1296 040
	50	40	16	S20 * 14	2580	T 1	74 61 1296 050
	60	50	16	S20 * 14	3120	U 1	74 61 1296 060
	63	50	16	S20 * 14	3120	U 1	74 61 1296 063
	75	65	10	S55 * 17	4765	U 1	74 61 1296 075
	85	80	10	S55 * 17	5980	U 1	74 61 1296 085
	90	80	10	S55 * 17	5980	U 1	74 61 1296 090
	110	80	10	S55 * 17	5990	U 1	74 61 1296 110

Válvula roscada F/F - PVC-U


PVC-U - Tapped valve F/F

Vanne filetée F/F - PVC-U

PVC-U - Válvula roscada F/F



74 61 1077 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	10	S20 * 11	1920	T 1	74 61 1077 038
	"1/2	15	10	S20 * 11	1910	T 1	74 61 1077 012
NEW	**"3/4**	**20**	**10**	**S20 * 14**	**1970**	**T 1**	**74 61 1300 034**
	"3/4	25	10	S20 * 14	2120	T 1	74 61 1077 034
	1"	25	10	S20 * 14	2130	T 1	74 61 1077 100
	1"1/4	40	10	S20 * 14	2570	T 1	74 61 1077 114
	1"1/2	40	10	S20 * 14	2580	T 1	74 61 1077 150
	2"	50	10	S55 * 17	3120	U 1	74 61 1077 200
	2"1/2	65	10	S55 * 17	4765	U 1	74 61 1077 250
	3"	80	10	S55 * 17	5980	U 1	74 61 1077 300
	4"	80	10	S55 * 17	5990	U 1	74 61 1077 400

Válvula roscada F/F - PVC-U - TEFLON VITON


PVC-U - Tapped valve F/F - TEFLON VITON

Vanne filetée F/F - PVC-U - TEFLON VITON

PVC-U - Válvula roscada F/F - TEFLON VITON



74 61 1296 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	10	S20 * 11	1920	T 1	74 61 1296 038
	"1/2	15	10	S20 * 11	1910	T 1	74 61 1196 012
NEW	**"3/4**	**20**	**10**	**S20 * 14**	**1970**	**T 1**	**74 61 1297 034**
	"3/4	25	10	S20 * 14	2120	T 1	74 61 1296 034
	1"	25	10	S20 * 14	2130	T 1	74 61 1296 100
	1"1/4	40	10	S20 * 14	2570	T 1	74 61 1296 114
	1"1/2	40	10	S20 * 14	2580	T 1	74 61 1296 150
	2"	50	10	S55 * 17	3120	U 1	74 61 1296 200
	2"1/2	65	10	S55 * 17	4765	U 1	74 61 1296 250
	3"	80	10	S55 * 17	5980	U 1	74 61 1296 300
	4"	80	10	S55 * 17	5990	U 1	74 61 1296 400

Válvula de colar F/F - PVC-U - atuador BSR


PVC-U - Cement jointing valve F/F - BSR actuator

Vanne à coller F/F - PVC-U - actionneur BSR

PVC-U - Válvula de encolar F/F - actuador BSR



77 61 1077 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	77 61 1077 016
	20	15	16	S20 * 11	1910	T 1	77 61 1077 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 61 1300 025**
	25	25	16	S20 * 14	2120	T 1	77 61 1077 025
	32	25	16	S20 * 14	2130	T 1	77 61 1077 032
	40	40	16	S20 * 14	2570	T 1	77 61 1077 040
	50	40	16	S20 * 14	2580	T 1	77 61 1077 050
	60	50	16	S20 * 14	3120	U 1	77 61 1077 060
	63	50	16	S20 * 14	3120	U 1	77 61 1077 063
	75	65	10	S55 * 17	4765	U 1	77 61 1077 075
	85	80	10	S55 * 17	5980	U 1	77 61 1077 085
	90	80	10	S55 * 17	5980	U 1	77 61 1077 090
	110	80	10	S55 * 17	5990	U 1	77 61 1077 110

Válvula roscada F/F - PVC-U - atuador BSR


PVC-U Tapped valve F/F - BSR actuator

Vanne filetée F/F - PVC-U - actionneur BSR

PVC-U - Válvula roscada F/F - actuador BSR



77 61 1077 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	10	S20 * 11	1920	T 1	77 61 1077 038
	"1/2	15	10	S20 * 11	1910	T 1	77 61 1077 012
NEW	**"3/4**	**20**	**10**	**S20 * 14**	**1970**	**T 1**	**77 61 1300 034**
	"3/4	25	10	S20 * 14	2120	T 1	77 61 1077 034
	1"	25	10	S20 * 14	2130	T 1	77 61 1077 100
	1"1/4	40	10	S20 * 14	2570	T 1	77 61 1077 114
	1"1/2	40	10	S20 * 14	2580	T 1	77 61 1077 150
	2"	50	10	S55 * 17	3120	U 1	77 61 1077 200
	2"1/2	65	10	S55 * 17	4765	U 1	77 61 1077 250
	3"	80	10	S55 * 17	5980	U 1	77 61 1077 300
	4"	80	10	S55 * 17	5990	U 1	77 61 1077 400

Válvula de colar F/F - PVC-U - atuador DPS-Positioner


PVC-U - Cement jointing valve F/F - DPS-Positioner actuator

Vanne à coller F/F - PVC-U - actionneur DPS-Positioner

PVC-U - Válvula de encolar F/F - actuador DPS-Positioner



78 61 1077 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	78 61 1077 016
	20	15	16	S20 * 11	1910	T 1	78 61 1077 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 61 1300 025**
	25	25	16	S20 * 14	2120	T 1	78 61 1077 025
	32	25	16	S20 * 14	2130	T 1	78 61 1077 032
	40	40	16	S20 * 14	2570	T 1	78 61 1077 040
	50	40	16	S20 * 14	2580	T 1	78 61 1077 050
	60	50	16	S20 * 14	3120	U 1	78 61 1077 060
	63	50	16	S20 * 14	3120	U 1	78 61 1077 063
	75	65	10	S55 * 17	4765	U 1	78 61 1077 075
	85	80	10	S55 * 17	5980	U 1	78 61 1077 085
	90	80	10	S55 * 17	5980	U 1	78 61 1077 090
	110	80	10	S55 * 17	5990	U 1	78 61 1077 110

Válvula roscada F/F - PVC-U - atuador DPS-Positioner


Tapped valve F/F - PVC-U - DPS-Positioner actuator

Vanne filetée F/F - PVC-U - actionneur DPS-Positioner

Válvula roscada F/F - PVC-U - actuador DPS-Positioner



78 61 1077 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	10	S20 * 11	1920	T 1	78 61 1077 038
	"1/2	15	10	S20 * 11	1910	T 1	78 61 1077 012
NEW	**"3/4**	**20**	**10**	**S20 * 14**	**1970**	**T 1**	**78 61 1300 034**
	"3/4	25	10	S20 * 14	2120	T 1	78 61 1077 034
	1"	25	10	S20 * 14	2130	T 1	78 61 1077 100
	1"1/4	40	10	S20 * 14	2570	T 1	78 61 1077 114
	1"1/2	40	10	S20 * 14	2580	T 1	78 61 1077 150
	2"	50	10	S55 * 17	3120	U 1	78 61 1077 200
	2"1/2	65	10	S55 * 17	4765	U 1	78 61 1077 250
	3"	80	10	S55 * 17	5980	U 1	78 61 1077 300
	4"	80	10	S55 * 17	5990	U 1	78 61 1077 400

Válvula com adaptação para atuador - PVC-U

PVC-U - Valve with actuator adapter

Vanne avec adaptation pour actionneur - PVC-U

PVC-U - Válvula con adaptación para actuador



75 61 1077 000




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
16- "3/8	15	1	11	14	36	6.5	50	6.5	-	41.5	160	B 25	75 61 1077 016
16- "3/8	15	1	11	14	36	6.5	50	6.5	-	41.5	160	B 25	75 61 1077 038
20- "1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 61 1077 020
20- "1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 61 1077 012
NEW 25- "3/4	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**200**	**B 12**	**75 61 1300 025**
NEW 25- "3/4	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**200**	**B 12**	**75 61 1300 034**
25- "3/4	15	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 61 1077 025
25- "3/4	15	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 61 1077 034
32-1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 61 1077 032
32-1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 61 1077 100
40-1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 61 1077 040
40-1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 61 1077 114
50-1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 61 1077 050
50-1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 61 1077 150
60	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 060
63- 2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 063
63- 2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 1077 200
75-2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 1077 075

PVC-U - Valve with actuator adapter (continued) 35.11

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
75-2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 1077 250
85	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 085
90-3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 090
90-3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 1077 300
110-4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 61 1077 110
110-4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 61 1077 400

Válvula colar F/F - PVC-U

PVC-U - Cement jointing valve F/F


Vanne à coller F/F - PVC-U

PVC-U - Válvula de encolar F/F -



74 67 1077 000

BRITISH STANDARD



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	74 67 1077 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 67 1300 025**
	"3/4	25	16	S20 * 14	2120	T 1	74 67 1077 025
	1"	25	16	S20 * 14	2130	T 1	74 67 1077 132
	1"1/4	40	16	S20 * 14	2570	T 1	74 67 1077 040
	1"1/2	40	16	S20 * 14	2580	T 1	74 67 1077 050
	2"	50	16	S55 * 17	3120	U 1	74 67 1077 063
	2"1/2	65	10	S55 * 17	4765	U 1	74 67 1077 075
	3"	80	10	S55 * 17	5980	U 1	74 67 1077 090

Válvula de colar F/F - PVC-U - atuador BSR

PVC-U - Cement jointing valve F/F - BSR actuator


Vanne à coller F/F - PVC-U - actionneur BSR

PVC-U - Válvula de encolar F/F - actuador BSR



77 67 1077 000

BRITISH STANDARD



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	77 67 1077 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 67 1300 025**
	"3/4	25	16	S20 * 14	2120	T 1	77 67 1077 025
	1"	25	16	S20 * 14	2130	T 1	77 67 1077 032
	1"1/4	40	16	S20 * 14	2570	T 1	77 67 1077 040
	1"1/2	40	16	S20 * 14	2580	T 1	77 67 1077 050
	2"	50	16	S55 * 17	3120	U 1	77 67 1077 063
	2"1/2	65	10	S55 * 17	4765	U 1	77 67 1077 075
	3"	80	10	S55 * 17	5980	U 1	77 67 1077 090

Válvula de colar F/F - PVC-U - atuador DPS-Positioner

PVC-U - Cement jointing valve F/F - DPS-Positioner actuator


Vanne à coller F/F - PVC-U - actionneur DPS-Positioner

PVC-U - Válvula de encolar F/F - actuador DPS-Positioner



78 67 1077 000

BRITISH STANDARD



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	78 67 1077 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 67 1300 025**
	"3/4	25	16	S20 * 14	2120	T 1	78 67 1077 025
	1"	25	16	S20 * 14	2130	T 1	78 67 1077 032
	1"1/4	40	16	S20 * 14	2570	T 1	78 67 1077 040
	1"1/2	40	16	S20 * 14	2580	T 1	78 67 1077 050
	2"	50	16	S55 * 17	3120	U 1	78 67 1077 063
	2"1/2	65	10	S55 * 17	4765	U 1	78 67 1077 075
	3"	80	10	S55 * 17	5980	U 1	78 67 1077 090

Válvula com adaptação para atuador - PVC-U

PVC-U - Valve with actuator adapter

Vanne avec adaptación pour actionneur - PVC-U

PVC-U - Válvula con adaptaciónr para actuador



75 67 1077 000

BRITISH STANDARD




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 67 1077 020
NEW **"3/4**	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**120**	**B 12**	**75 67 1300 025**
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 67 1077 025
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 67 1077 032
1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 67 1077 040
1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 67 1077 050
2	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 67 1077 063
2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 67 1077 075
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 67 1077 090

Válvula colar F/F - PVC-U

PVC-U - Cement jointing valve F/F


Vanne à coller F/F (SCH80) - PVC-U

PVC-U - Válvula de encolar F/F



74 54 1299 000

SCH80



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	74 54 1299 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 54 1300 025**
	"3/4	25	16	S20 * 14	2120	T 1	74 54 1299 025
	1"	25	16	S20 * 14	2130	T 1	74 54 1299 032
	1"1/4	40	16	S20 * 14	2570	T 1	74 54 1299 040
	1"1/2	40	16	S20 * 14	2580	T 1	74 54 1299 050
	2"	50	16	S55 * 14	3120	U 1	74 54 1299 063
	2"1/2	65	10	S55 * 17	4765	U 1	74 54 1299 075
	3"	80	10	S55 * 17	5980	U 1	74 54 1299 090
	4"	80	10	S55 * 17	5990	U 1	74 54 1299 110

Válvula de colar F/F - PVC-U - atuador BSR

PVC-U - Cement jointing valve F/F - BSR actuator


Vanne à coller F/F - PVC-U - actionneur BSR

PVC-U - Válvula de encolar F/F - actuador BSR



77 54 1299 000

SCH80



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	77 54 1299 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 54 1300 025**
	"3/4	25	16	S20 * 14	2120	T 1	77 54 1299 025
	1"	25	16	S20 * 14	2130	T 1	77 54 1299 032
	1"1/4	40	16	S20 * 14	2570	T 1	77 54 1299 040
	1"1/2	40	16	S20 * 14	2580	T 1	77 54 1299 050
	2"	50	16	S55 * 14	3120	U 1	77 54 1299 063
	2"1/2	65	10	S55 * 17	4765	U 1	77 54 1299 075
	3"	80	10	S55 * 17	5980	U 1	77 54 1299 090
	4"	80	10	S55 * 17	5990	U 1	77 54 1299 110

Válvula de colar F/F - PVC-U - atuador DPS-Positioner

PVC-U - Cement jointing valve F/F - DPS-Positioner actuator


Vanne à coller F/F - PVC-U - actionneur DPS-Positioner

PVC-U - Válvula de encolar F/F - actuador DPS-Positioner



78 54 1299 000

SCH80



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	78 54 1299 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 54 1300 025**
	"3/4	25	16	S20 * 14	2120	T 1	78 54 1299 025
	1"	25	16	S20 * 14	2130	T 1	78 54 1299 032
	1"1/4	40	16	S20 * 14	2570	T 1	78 54 1299 040
	1"1/2	40	16	S20 * 14	2580	T 1	78 54 1299 050
	2"	50	16	S55 * 14	3120	U 1	78 54 1299 063
	2"1/2	65	10	S55 * 17	4765	U 1	78 54 1299 075
	3"	80	10	S55 * 17	5980	U 1	78 54 1299 090
	4"	80	10	S55 * 17	5990	U 1	78 54 1299 110

Válvula com adaptação para atuador - PVC-U

PVC-U - Valve with actuator adapter

Vanne avec adaptation pour actionneur - PVC-U

PVC-U - Válvula con adaptación para actuador



75 54 1299 000

SCH80




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 54 1299 020
NEW **"3/4**	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**120**	**B 12**	**75 54 1300 025**
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 54 1299 025
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 54 1299 032
1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 54 1299 040
1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 54 1299 050
2	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 54 1299 063
2"½	65	1	14	14	50	6.5	70	8.5	-	108	2440	C 4	75 54 1299 075
3"	80	1	14	14	50	6.5	70	8.5	-	125	3680	C 3	75 54 1299 090
4"	80	1	14	14	50	6.5	70	8.5		125	3690	C 3	75 54 1299 110

Válvula roscada F/F - PVC-U

PVC-U - Tapped valve F/F


Vanne filletée F/F - PVC-U

PVC-U - Válvula roscada F/F



74 67 1299 000

NPT



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	10	S20 * 11	1910	T 1	74 67 1299 012
NEW	**"3/4**	**20**	**10**	**S20 * 14**	**1970**	**T 1**	**74 67 1300 034**
	"3/4	25	10	S20 * 14	2120	T 1	74 67 1299 034
	1"	25	10	S20 * 14	2130	T 1	74 67 1299 100
	1"1/4	40	10	S20 * 14	2570	T 1	74 67 1299 114
	1"1/2	40	10	S20 * 14	2580	T 1	74 67 1299 150
	2"	50	10	S55 * 14	3120	U 1	74 67 1299 200
	2"1/2	65	10	S55 * 17	4765	U 1	74 67 1299 250
	3"	80	10	S55 * 17	5980	U 1	74 67 1299 300

Válvula roscada F/F - PVC-U - atuador BSR

PVC-U - Tapped valve F/F - BSR actuator


Vanne filletée F/F - PVC-U - actionneur BSR

PVC-U - Válvula roscada F/F - actuador BSR



77 67 1299 000

NPT



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	77 67 1299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 67 1300 034**
	"3/4	25	16	S20 * 14	2120	T 1	77 67 1299 034
	1"	25	16	S20 * 14	2130	T 1	77 67 1299 100
	1"1/4	40	16	S20 * 14	2570	T 1	77 67 1299 114
	1"1/2	40	16	S20 * 14	2580	T 1	77 67 1299 150
	2"	50	16	S55 * 14	3120	U 1	77 67 1299 200
	2"1/2	65	10	S55 * 17	4765	U 1	77 67 1299 250
	3"	80	10	S55 * 17	5980	U 1	77 67 1299 300

Válvula roscada F/F - PVC-U - atuador DPS-Positioner

PVC-U - Tapped valve F/F - DPS-Positioner actuator


Vanne filetée F/F - PVC-U - actionneur DPS-Positioner

PVC-U - Válvula roscada F/F - actuador DPS-Positioner



78 67 1299 000

NPT



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	78 67 1299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 67 1300 034**
	"3/4	25	16	S20 * 14	2120	T 1	78 67 1299 034
	1"	25	16	S20 * 14	2130	T 1	78 67 1299 100
	1"1/4	40	16	S20 * 14	2570	T 1	78 67 1299 114
	1"1/2	40	16	S20 * 14	2580	T 1	78 67 1299 150
	2"	50	16	S55 * 14	3120	U 1	78 67 1299 200
	2"1/2	65	10	S55 * 17	4765	U 1	78 67 1299 250
	3"	80	10	S55 * 17	5980	U 1	78 67 1299 300

Válvula com adaptação para atuador - PVC-U

PVC-U - Valve with actuator adapter

Vanne avec adaptation pour actionneur - PVC-U

PVC-U - Válvula con adaptación para actuador



75 67 1299 000

NPT




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 67 1299 012
NEW **"3/4**	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**120**	**B 15**	**75 67 1300 034**
"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 67 1299 034
1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 67 1299 100
1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 67 1299 114
1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 67 1299 150
2	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 67 1299 200
2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 67 1299 250
3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 67 1299 300

Válvula de colar F/F - PVC-C


PVC-C - Cement jointing valve F/F

Vanne à coller F/F - PVC-C

PVC-C - Válvula de encolar F/F



74 61 6299 000



	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	74 61 6299 016
	20	15	16	S20 * 11	1910	T 1	74 61 6299 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 61 6300 025**
	25	25	16	S20 * 14	2120	T 1	74 61 6299 025
	32	25	16	S20 * 14	2130	T 1	74 61 6299 032
	40	40	16	S20 * 14	2570	T 1	74 61 6299 040
	50	40	16	S20 * 14	2580	T 1	74 61 6299 050
	63	50	16	S20 * 14	3120	U 1	74 61 6299 063
	75	65	10	S55 * 17	4765	U 1	74 61 6299 075
	90	80	10	S55 * 17	5980	U 1	74 61 6299 090
	110	80	10	S55 * 17	5990	U 1	74 61 6299 110

Válvula roscada F/F - PVC-C


PVC-C - Tapped valve F/F

Vanne filetée F/F - PVC-C

PVC-C - Válvula roscada F/F



74 61 6299 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	16	S20 * 11	1920	T 1	74 61 6299 038
	"1/2	15	16	S20 * 11	1910	T 1	74 61 6299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 61 6300 034**
	"3/4	25	16	S20 * 14	2120	T 1	74 61 6299 034
	1"	25	16	S20 * 14	2130	T 1	74 61 6299 100
	1"1/4	40	16	S20 * 14	2570	T 1	74 61 6299 114
	1"1/2	40	16	S20 * 14	2580	T 1	74 61 6299 150
	2"	50	16	S55 * 17	3120	U 1	74 61 6299 200
	2"1/2	65	10	S55 * 17	4765	U 1	74 61 6299 250
	3"	80	10	S55 * 17	5980	U 1	74 61 6299 300
	4"	80	10	S55 * 17	5990	U 1	74 61 6299 400

Válvula de colar F/F - PVC-C - atuador BSR


PVC-C - Cement jointing valve F/F - BSR actuator

Vanne à coller F/F - PVC-C - actionneur BSR

PVC-C - Válvula de encolar F/F - actuador BSR



77 61 6299 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	77 61 6299 016
	20	15	16	S20 * 11	1910	T 1	77 61 6299 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 61 6300 025**
	25	25	16	S20 * 14	2120	T 1	77 61 6299 025
	32	25	16	S20 * 14	2130	T 1	77 61 6299 032
	40	40	16	S20 * 14	2570	T 1	77 61 6299 040
	50	40	16	S20 * 14	2580	T 1	77 61 6299 050
	63	50	16	S20 * 14	3120	U 1	77 61 6299 063
	75	65	10	S55 * 17	4765	U 1	77 61 6299 075
	85	80	10	S55 * 17	5980	U 1	77 61 6299 085
	90	80	10	S55 * 17	5980	U 1	77 61 6299 090
	110	80	10	S55 * 17	5990	U 1	77 61 6299 110

Válvula roscada F/F - PVC-C - atuador BSR


PVC-C - Tapped valve F/F - BSR actuator

Vanne filetée F/F - PVC-C - actionneur BSR

PVC-C - Válvula roscada F/F - actuador BSR



77 61 6299 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	16	S20 * 11	1920	T 1	77 61 6299 038
	"1/2	15	16	S20 * 11	1910	T 1	77 61 6299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 61 6300 034**
	"3/4	25	16	S20 * 14	2120	T 1	77 61 6299 034
	1"	25	16	S20 * 14	2130	T 1	77 61 6299 100
	1"1/4	40	16	S20 * 14	2570	T 1	77 61 6299 114
	1"1/2	40	16	S20 * 14	2580	T 1	77 61 6299 150
	2"	50	16	S55 * 14	3120	U 1	77 61 6299 200
	2"1/2	65	10	S55 * 17	4765	U 1	77 61 6299 250
	3"	80	10	S55 * 17	5980	U 1	77 61 6299 300
	4"	80	10	S55 * 17	5990	U 1	77 61 6299 400

Válvula de colar F/F - PVC-C - atuador DPS-Positioner


PVC-C - Cement jointing valve F/F - DPS-Positioner actuator

Vanne à coller F/F - PVC-C - actionneur DPS-Positioner

PVC-C - Válvula de encolar F/F - actuador DPS-Positioner



78 61 6299 000



	D	DN	PN	Actuator	Gr	Quant	Nº Código
	16	15	16	S20 * 11	1920	T 1	78 61 6299 016
	20	15	16	S20 * 11	1910	T 1	78 61 6299 020
NEW	**25**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 61 6300 025**
	25	25	16	S20 * 14	2120	T 1	78 61 6299 025
	32	25	16	S20 * 14	2130	T 1	78 61 6299 032
	40	40	16	S20 * 14	2570	T 1	78 61 6299 040
	50	40	16	S20 * 14	2580	T 1	78 61 6299 050
	63	50	16	S20 * 14	3120	U 1	78 61 6299 063
	60	50	16	S20 * 14	3120	U 1	78 61 6299 060
	75	65	10	S55 * 17	4765	U 1	78 61 6299 075
	85	80	10	S55 * 17	5980	U 1	78 61 6299 085
	90	80	10	S55 * 17	5980	U 1	78 61 6299 090
	110	80	10	S55 * 17	5990	U 1	78 61 6299 110

Válvula roscada F/F - PVC-C - atuador DPS-Positioner


PVC-C - Tapped valve F/F - DPS-Positioner actuator

Vanne filetée F/F - PVC-C - actionneur DPS-Positioner

Válvula roscada F/F - PVC-C - actuador DPS-Positioner



78 61 6299 000



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"3/8	15	16	S20 * 11	1920	T 1	78 61 6299 038
	"1/2	15	16	S20 * 11	1910	T 1	78 61 6299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 61 6300 034**
	"3/4	25	16	S20 * 14	2120	T 1	78 61 6299 034
	1"	25	16	S20 * 14	2130	T 1	78 61 6299 100
	1"1/4	40	16	S20 * 14	2570	T 1	78 61 6299 114
	1"1/2	40	16	S20 * 14	2580	T 1	78 61 6299 150
	2"	50	16	S55 * 14	3120	U 1	78 61 6299 200
	2"1/2	65	10	S55 * 17	4765	U 1	78 61 6299 250
	3"	80	10	S55 * 17	5980	U 1	78 61 6299 300
	4"	80	10	S55 * 17	5990	U 1	78 61 6299 400

Válvula com adaptação para atuador - PVC-C

PVC-C - Valve with actuator adapter

Vanne avec adaptation pour actionneur - PVC-C

PVC-C - Válvula con adaptación para actuador



75 61 6299 000




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
16-"3/8	15	1	11	14	36	6.5	50	6.5	-	41.5	160	B 25	75 61 6299 016
16-"3/8	15	1	11	14	36	6.5	50	6.5	-	41.5	160	B 25	75 61 6299 038
20-"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 61 6299 020
20-"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 61 6299 012
NEW 25-"3/4	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**200**	**B 12**	**75 61 6300 025**
NEW 25-"3/4	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**200**	**B 12**	**75 61 6300 034**
25-"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 61 6299 025
25-"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 61 6299 035
32-1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 61 6299 032
32-1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 61 6299 100
40-1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 61 6299 040
40-1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 61 6299 114
50-1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 61 6299 050
50-1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 61 6299 150
63-2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 6299 063
63-2"	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 61 6299 200
75-2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 6299 075
75-2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 61 6299 250

PVC-C - Valve with actuator adapter (continued) 35.30

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
90-3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 6299 090
90-3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 61 6299 300
110-4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 61 6299 110
110-4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 61 6299 400

Válvula colar F/F - PVC-C

PVC-C - Cement jointing valve F/F


Vanne à coller F/F - PVC-C

PVC-C - Válvula de encolar F/F



74 54 6299 000

SCH80



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	74 54 6299 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**74 54 6300 025**
	"3/4	25	16	S20 * 14	2120	T 1	74 54 6299 025
	1"	25	16	S20 * 14	2130	T 1	74 54 6299 032
	1" 1/4	40	16	S20 * 14	2570	T 1	74 54 6299 040
	1" 1/2	40	16	S20 * 14	2580	T 1	74 54 6299 050
	2"	50	16	S20 * 14	3120	U 1	74 54 6299 063
	2" 1/2	65	10	S55 * 17	4765	U 1	74 54 6299 075
	3"	80	10	S55 * 17	5980	U 1	74 54 6299 085
	4"	80	10	S55 * 17	5990	U 1	74 54 6299 090

Válvula de colar F/F - PVC-C - atuador BSR

PVC-C - Cement jointing valve F/F - BSR actuator


Vanne à coller F/F - PVC-C - actionneur BSR

PVC-C - Válvula de encolar F/F - actuador BSR



77 54 6299 000

SCH80



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	77 54 6299 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**77 54 6300 025**
	"3/4	25	16	S20 * 14	2120	T 1	77 54 6299 025
	1"	25	16	S20 * 14	2130	T 1	77 54 6299 032
	1" 1/4	40	16	S20 * 14	2570	T 1	77 54 6299 040
	1" 1/2	40	16	S20 * 14	2580	T 1	77 54 6299 050
	2"	50	16	S20 * 14	3120	U 1	77 54 6299 063
	2" 1/2	65	10	S55 * 17	4765	U 1	77 54 6299 075
	3"	80	10	S55 * 17	5980	U 1	77 54 6299 090
	4"	80	10	S55 * 17	5990	U 1	77 54 6299 110

Válvula de colar F/F - PVC-C - atuador DPS-Positioner

PVC-C - Cement jointing valve F/F - DPS-Positioner actuator


Vanne à coller F/F - PVC-C - actionneur DPS-Positioner

PVC-C - Válvula de encolar F/F - actuador DPS-Positioner



78 54 6299 000

SCH80



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1910	T 1	78 54 6299 020
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1970**	**T 1**	**78 54 6300 025**
	"3/4	25	16	S20 * 14	2120	T 1	78 54 6299 025
	1"	25	16	S20 * 14	2130	T 1	78 54 6299 032
	1"1/4	40	16	S20 * 14	2570	T 1	78 54 6299 040
	1"1/2	40	16	S20 * 14	2580	T 1	78 54 6299 050
	2"	50	16	S55 * 14	3120	U 1	78 54 6299 063
	2"1/2	65	10	S55 * 17	4765	U 1	78 54 6299 075
	3"	80	10	S55 * 17	5980	U 1	78 54 6299 090
	4"	80	10	S55 * 17	5990	U 1	78 54 6299 110

Válvula com adaptação para atuador - PVC-C

PVC-C - Valve with actuator adapter

Vanne avec adaptation pour actionneur - PVC-C

PVC-C - Válvula con adaptación para actuador



75 54 6299 000

SCH80




FIG 1

	d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
	"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	140	B 25	75 54 6299 020
NEW	**"3/4**	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**120**	**B 12**	**75 54 6300 025**
	"3/4	25	2	14	14	-	-	-	6.5	50	59.5	340	C 34	75 54 6299 025
	1"	25	2	14	14	-	-	-	6.5	50	59.5	350	C 34	75 54 6299 032
	1"¼	40	2	14	14	-	-	-	6.5	50	85	800	C 13	75 54 6299 040
	1"½	40	2	14	14	-	-	-	6.5	50	85	810	C 13	75 54 6299 050
	2	50	2	14	14	-	-	-	6.5	50	95.5	1350	C 10	75 54 6299 063
	2"½	65	1	17	14	50	6.5	70	8.5	-	108	2440	C 4	75 54 6299 075
	3"	80	1	17	14	50	6.5	70	8.5	-	125	3680	C 3	75 54 6299 090
	4"	80	1	17	14	50	6.5	70	8.5	-	125	3690	C 3	75 54 6299 110

Válvula de soldar F/F PP-R

PP-R - Welding valve F/F


Vanne à souder F/F - PP-R

PP-R - Válvula de soldar F/F



74 61 2299 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	74 61 2299 020
25	25	16	S20 * 14	1995	T 1	74 61 2299 025
32	25	16	S20 * 14	2000	T 1	74 61 2299 032
40	40	16	S20 * 14	2290	T 1	74 61 2299 040
50	40	16	S20 * 14	2300	T 1	74 61 2299 050
60	50	16	S20 * 14	2640	U 1	74 61 2299 060
63	50	16	S20 * 14	2640	U 1	74 61 2299 063

Válvula de soldar F/F PP-R


PP-R - Welding valve F/F

Vanne à souder F/F - PP-R

PP-R - Válvula de soldar F/F



74 61 2296 000



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	74 61 2296 020
25	25	16	S20 * 14	1995	T 1	74 61 2296 025
32	25	16	S20 * 14	2000	T 1	74 61 2296 032
40	40	16	S20 * 14	2290	T 1	74 61 2296 040
50	40	16	S20 * 14	2300	T 1	74 61 2296 050
60	50	16	S20 * 14	2640	U 1	74 61 2296 060
63	50	16	S20 * 14	2640	U 1	74 61 2296 063

Válvula roscada F/F - PP-H

PP-H - Tapped valve F/F


Vanne filetée F/F - PP-H

Válvula roscada F/F - PP-H



74 61 2299 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
"1/2	15	10	S20 * 11	1850	T 1	74 61 2299 012
"3/4	25	10	S20 * 14	1995	T 1	74 61 2299 034
1"	25	10	S20 * 14	2000	T 1	74 61 2299 100
1"1/4	40	10	S20 * 14	2290	T 1	74 61 2299 114
1"1/2	40	10	S20 * 14	2300	T 1	74 61 2299 150
2"	50	10	S20 * 14	2640	U 1	74 61 2299 200

Válvula roscada F/F - PP-H

PP-H - Tapped valve F/F


Vanne filetée F/F - PP-H

Válvula roscada F/F - PP-H



74 61 2296 000

TEFLON - VITON



D	DN	PN	Actuator	Gr	Quant	Nº Código
"1/2	15	10	S20 * 11	1850	T 1	74 61 2296 012
"3/4	25	10	S20 * 14	1995	T 1	74 61 2296 034
1"	25	10	S20 * 14	2000	T 1	74 61 2296 100
1"1/4	40	10	S20 * 14	2290	T 1	74 61 2296 114
1"1/2	40	10	S20 * 14	2300	T 1	74 61 2296 150
2"	50	10	S20 * 14	2640	U 1	74 61 2296 200

Válvula de soldar F/F - PP-R - atuador BSR

PP-R - Welding valve F/F - BSR actuator


Vanne à souder F/F - PP-R - actionneur BSR

PP-R - Válvula de soldar F/F - actuador BSR



77 61 2299 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	77 61 2299 020
25	25	16	S20 * 14	1995	T 1	77 61 2299 025
32	25	16	S20 * 14	2000	T 1	77 61 2299 032
40	40	16	S20 * 14	2290	T 1	77 61 2299 040
50	40	16	S20 * 14	2300	T 1	77 61 2299 050
60	50	16	S20 * 14	2640	U 1	77 61 2299 060
63	50	16	S20 * 14	2640	U 1	77 61 2299 063

Válvula roscada F/F - PP-H - atuador BSR

PP-H - Tapped valve F/F - BSR actuator


Vanne filetée F/F - PP-H - actionneur BSR

Válvula roscada F/F - PP-H - actuador BSR



77 61 2229 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
"1/2	15	10	S20 * 11	1850	T 1	77 61 2229 012
"3/4	25	10	S20 * 14	1995	T 1	77 61 2229 034
1"	25	10	S20 * 14	2000	T 1	77 61 2229 100
1"1/4	40	10	S20 * 14	2290	T 1	77 61 2229 114
1"1/2	40	10	S20 * 14	2300	T 1	77 61 2229 150
2"	50	10	S20 * 14	2640	U 1	77 61 2229 200

Válvula de soldar F/F - PP-R - atuador DPS-Positioner

PP-R - Welding valve F/F - DPS-Positioner actuator


Vanne à souder F/F - PP-R - actionneur DPS-Positioner

PP-R - Válvula de soldar F/F - actuador DPS-Positioner



78 61 2229 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	78 61 2229 020
25	25	16	S20 * 14	1995	T 1	78 61 2229 025
32	25	16	S20 * 14	2000	T 1	78 61 2229 032
40	40	16	S20 * 14	2290	T 1	78 61 2229 040
50	40	16	S20 * 14	2300	T 1	78 61 2229 050
60	50	16	S20 * 14	2640	U 1	78 61 2229 060
63	50	16	S20 * 14	2640	U 1	78 61 2229 063

Válvula roscada F/F - PP-H - atuador DPS-Positioner

PP-H - Tapped valve F/F - DPS-Positioner actuator


Vanne filetée F/F - PP-H - actionneur DPS-Positioner

Válvula roscada F/F - PP-H - DPS-Positioner



78 61 2229 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
"1/2	15	10	S20 * 11	1850	T 1	78 61 2229 012
"3/4	25	10	S20 * 14	1995	T 1	78 61 2229 034
1"	25	10	S20 * 14	2000	T 1	78 61 2229 100
1"1/4	40	10	S20 * 14	2290	T 1	78 61 2229 114
1"1/2	40	10	S20 * 14	2300	T 1	78 61 2229 150
2"	50	10	S20 * 14	2640	U 1	78 61 2229 200

Válvula com adaptação para atuador

Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 61 2299 000

TEFLON - EPDM




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
20 - "1/2	15	1	11	14	36	6.5	50	6.5	-	41	80	B 25	75 61 2299 020
20 - "1/2	15	1	11	14	36	6.5	50	6.5	-	41	80	B 25	75 61 2299 012
25 - "3/4	25	2	14	14	-	-	-	6.5	50	59	224	C 34	75 61 2299 025
25 - "3/4	25	2	14	14	-	-	-	6.5	50	59	224	C 34	75 61 2299 034
32 - 1"	25	2	14	14	-	-	-	6.5	50	59	228	C 34	75 61 2299 032
32 - 1"	25	2	14	14	-	-	-	6.5	50	59	228	C 34	75 61 2299 100
40 - 1"¼	40	2	14	14	-	-	-	6.5	50	84	521	C 13	75 61 2299 040
40 - 1"¼	40	2	14	14	-	-	-	6.5	50	84	521	C 13	75 61 2299 114
50 - 1"½	40	2	14	14	-	-	-	6.5	50	84	529	C 13	75 61 2299 050
50 - 1"½	40	2	14	14	-	-	-	6.5	50	84	529	C 13	75 61 2299 150
60	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 61 2299 060
63 - 2"	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 61 2299 063
63 - 2"	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 61 2299 200

Válvula com adaptação para atuador

Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 61 2296 000

TEFLON - VITON




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
20 - "1/2	15	1	11	14	36	6.5	50	6.5	-	41	80	B 25	75 61 2296 020
20 - "1/2	15	1	11	14	36	6.5	50	6.5	-	41	80	B 25	75 61 2296 012
25 - "3/4	25	2	14	14	-	-	-	6.5	50	59	224	C 34	75 61 2296 025
25 - "3/4	25	2	14	14	-	-	-	6.5	50	59	224	C 34	75 61 2296 034
32 - 1"	25	2	14	14	-	-	-	6.5	50	59	228	C 34	75 61 2296 032
32 - 1"	25	2	14	14	-	-	-	6.5	50	59	228	C 34	75 61 2296 100
40 - 1"¼	40	2	14	14	-	-	-	6.5	50	84	521	C 13	75 61 2296 040
40 - 1"¼	40	2	14	14	-	-	-	6.5	50	84	521	C 13	75 61 2296 114
50 - 1"½	40	2	14	14	-	-	-	6.5	50	84	529	C 13	75 61 2296 050
50 - 1"½	40	2	14	14	-	-	-	6.5	50	84	529	C 13	75 61 2296 150
60	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 61 2296 060
63 - 2"	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 61 2296 063
63 - 2"	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 61 2296 200

Válvula de soldar F/F - PP-H

PP-H - Welding valve F/F


Vanne à souder F/F - PP-H

PP-H - Válvula de soldar F/F



74 53 2299 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	74 53 2299 020
25	25	16	S20 * 14	1995	T 1	74 53 2299 025
32	25	16	S20 * 14	2000	T 1	74 53 2299 032
40	40	16	S20 * 14	2290	T 1	74 53 2299 040
50	40	16	S20 * 14	2300	T 1	74 53 2299 050
60	50	16	S20 * 14	2640	U 1	74 53 2299 060
63	50	16	S20 * 14	2640	U 1	74 53 2299 063

Válvula de soldar F/F - PP-H - atuador BSR

PP-H - Welding valve F/F - BSR actuator


Vanne à souder F/F - PP-H - actionneur BSR

PP-H - Válvula de soldar F/F - actuador BSR



77 53 2299 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	77 53 2299 020
25	25	16	S20 * 14	1995	T 1	77 53 2299 025
32	25	16	S20 * 14	2000	T 1	77 53 2299 032
40	40	16	S20 * 14	2290	T 1	77 53 2299 040
50	40	16	S20 * 14	2300	T 1	77 53 2299 050
60	50	16	S20 * 14	2640	U 1	77 53 2299 060
63	50	16	S20 * 14	2640	U 1	77 53 2299 063

Válvula de soldar F/F - PP-H - atuador DPS-Positioner

PP-H - Welding valve F/F - DPS-Positioner actuator


Vanne à souder F/F - PP-H - actionneur DPS-Positioner

PP-H - Válvula de soldar F/F - actuador DPS-Positioner



78 53 2229 000

TEFLON - EPDM



D	DN	PN	Actuator	Gr	Quant	Nº Código
20	15	16	S20 * 11	1850	T 1	78 53 2229 020
25	25	16	S20 * 14	1995	T 1	78 53 2229 025
32	25	16	S20 * 14	2000	T 1	78 53 2229 032
40	40	16	S20 * 14	2290	T 1	78 53 2229 040
50	40	16	S20 * 14	2300	T 1	78 53 2229 050
60	50	16	S20 * 14	2640	U 1	78 53 2229 060
63	50	16	S20 * 14	2640	U 1	78 53 2229 063

Válvula de soldar PP-H com adaptação para atuador

PP-H Welding valve with actuator adapter

Vanne à souder PP-H avec adaptation pour actionneur

Válvula de soldar PP-H con adaptación para actuador



75 53 2299 000

TEFLON - EPDM




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
20 - "1/2	15	1	11	14	36	6.5	50	6.5	-	41	80	B 25	75 53 2299 020
25 - "3/4	25	2	14	14	-	-	-	6.5	50	59	224	C 34	75 53 2299 025
32 - 1"	25	2	14	14	-	-	-	6.5	50	59	228	C 34	75 53 2299 032
40 - 1"¼	40	2	14	14	-	-	-	6.5	50	84	521	C 13	75 53 2299 040
50 - 1"½	40	2	14	14	-	-	-	6.5	50	84	529	C 13	75 53 2299 050
60	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 53 2299 060
63 - 2"	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 53 2299 063

Válvula de soldar PP-H com adaptação para atuador

PP-H Welding valve with actuator adapter

Vanne à souder PP-H avec adaptation pour actionneur

Válvula de soldar PP-H con adaptación para actuador



75 53 2296 000

TEFLON - VITON




FIG 1

d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
20 - "1/2	15	1	11	14	36	6.5	50	6.5	-	41	80	B 25	75 53 2296 020
25 - "3/4	25	2	14	14	-	-	-	6.5	50	59	224	C 34	75 53 2296 025
32 - 1"	25	2	14	14	-	-	-	6.5	50	59	228	C 34	75 53 2296 032
40 - 1"¼	40	2	14	14	-	-	-	6.5	50	84	521	C 13	75 53 2296 040
50 - 1"½	40	2	14	14	-	-	-	6.5	50	84	529	C 13	75 53 2296 050
60	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 53 2296 060
63 - 2"	50	2	14	14	-	-	-	6.5	50	95	865	C 10	75 53 2296 063

Válvulas colar F/F - ABS

ABS - Cement jointing valves F/F


Vannes à coller F/F - ABS

Válvulas de encolar F/F - ABS



74 67 4299 000

BRITISH STANDARD



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1870	T 1	74 67 4299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1920**	**T 1**	**74 67 4300 034**
	"3/4	25	16	S20 * 14	2050	T 1	74 67 4299 034
	1"	25	16	S20 * 14	2050	T 1	74 67 4299 100
	1" 1/4	40	16	S20 * 14	2400	T 1	74 67 4299 114
	1" 1/2	40	16	S20 * 14	2425	T 1	74 67 4299 150
	2"	50	16	S20 * 14	2850	U 1	74 67 4299 200
	2"1/2	65	10	S55 * 17	4265	U 1	74 67 4299 250
	3"	80	10	S55 * 17	5275	U 1	74 67 4299 300

Válvulas colar F/F - ABS - atuador BSR

ABS - Cement jointing valves F/F - BSR actuator


Vannes à coller F/F - ABS - actionneur BSR

Válvulas de encolar F/F - ABS - actuador BSR



77 67 4299 000

BRITISH STANDARD



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1870	T 1	77 67 4299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1920**	**T 1**	**77 67 4300 034**
	"3/4	25	16	S20 * 14	2050	T 1	77 67 4299 034
	1"	25	16	S20 * 14	2050	T 1	77 67 4299 100
	1" 1/4	40	16	S20 * 14	2400	T 1	77 67 4299 114
	1" 1/2	40	16	S20 * 14	2425	T 1	77 67 4299 150
	2"	50	16	S20 * 14	2850	U 1	77 67 4299 200
	2"1/2	65	10	S55 * 17	4265	U 1	77 67 4299 250
	3"	80	10	S55 * 17	5275	U 1	77 67 4299 300

Válvulas colar F/F - ABS - atuador DPS-Positioner

ABS - Cement jointing valves F/F - DPS-Positioner actuator


Vannes à coller F/F - ABS - actionneur DPS-Positioner

Válvulas de encolar F/F - ABS - actuador DPS-Positioner



78 67 4299 000

BRITISH STANDARD



S20

	D	DN	PN	Actuator	Gr	Quant	Nº Código
	"1/2	15	16	S20 * 11	1870	T 1	78 67 4299 012
NEW	**"3/4**	**20**	**16**	**S20 * 14**	**1920**	**T 1**	**78 67 4300 034**
	"3/4	25	16	S20 * 14	2050	T 1	78 67 4299 034
	1"	25	16	S20 * 14	2050	T 1	78 67 4299 100
	1" 1/4	40	16	S20 * 14	2400	T 1	78 67 4299 114
	1" 1/2	40	16	S20 * 14	2425	T 1	78 67 4299 150
	2"	50	16	S20 * 14	2850	U 1	78 67 4299 200
	2"1/2	65	10	S55 * 17	4265	U 1	78 67 4299 250
	3"	80	10	S55 * 17	5275	U 1	78 67 4299 300

Válvula com adaptação para atuador

Valve with actuator adapter

Vanne avec adaptation pour actionneur

Válvula con adaptación para actuador



75 67 4299 000

BRITISH STANDARD




FIG 1

	d	DN	FIG	A	B	C	D	E	F	G	H	Gr	Quant	Nº Código
	"1/2	15	1	11	14	36	6.5	50	6.5	-	41.5	95	B 25	75 67 4299 020
NEW	**"3/4**	**20**	**2**	**14**	**14**	**-**	**-**	**-**	**6.5**	**50**	**52**	**120**	**B 12**	**75 67 4300 025**
	"3/4	25	2	14	14	-	-	-	6.5	50	59.5	280	C 34	75 67 4299 025
	1"	25	2	14	14	-	-	-	6.5	50	59.5	280	C 34	75 67 4299 032
	1"¼	40	2	14	14	-	-	-	6.5	50	85	625	C 13	75 67 4299 040
	1"½	40	2	14	14	-	-	-	6.5	50	85	650	C 13	75 67 4299 050
	2"	50	2	14	14	-	-	-	6.5	50	95.5	1070	C 10	75 67 4299 063
	2"½	65	1	17	14	50	6.5	70	8.5	-	108	1520	C 4	75 67 4299 075
	3"	80	1	17	14	50	6.5	70	8.5	-	125	2950	C 3	75 67 4299 090