PVC-C - CEMENT JOINTING FITTINGS

MATERIAL

Rigid PVC (non-plastified polyvinyl chloride). This material is appropriate to be used in contact with drinkable water and other fluids. This material is in accordance with the standard ISO/TR 7473.

STANDARDS

The PLIMAT cement jointing fittings in PVC-C are manufactured according to the standard ISO 15493.

ASSEMBLY

By jointing, always using appropriate glues. The cement jointing fittings are expected to be assembled with other fittings or tubes in plastic material (PVC-C).

SERVICE PRESSURE

The service pressure, just as an indication, is of 16 bar at 20ºC (water).

ABREVIATION INTERPRETATION

d - Nominal diametre of the jointing parts
Quant - Quantity of fittings that each box contains
Gr - Approximate weight of fittings in grams
B - Box 29 x 23 x 16.5
C - Box 39 x 29 x 31
D - Box 59 x 39 x 39

Joelhos a 90º


Elbows 90º

Coudes à 90º

Codos 90º



06 05 6001 000



d	D	l	Z	PN	Gr	Quant	Nº Código
20	25	27	11	16	14	B 170	06 05 6001 020
25	31	33	14	16	25	B 90	06 05 6001 025
32	40	39	17	16	50	B 50	06 05 6001 032
40	50.5	47	21	16	102	C 100	06 05 6001 040
50	59.5	57	26	16	120	C 64	06 05 6001 050
63	73	72	31	16	240	C 30	06 05 6001 063
75	90	84	40	16	485	C 18	06 05 6001 075
90	109	99	48	16	800	C 12	06 05 6001 090
110	129	118	56	16	1150	D 16	06 05 6001 110
160	185	167	81	16	3110	D 5	06 05 6001 160

Tês a 90º


Tees 90º

Tés à 90º

Tes 90º



06 05 6003 000




d	D	l	Z	PN	Gr	Quant	Nº Código
20	25	27	11	16	19	B 100	06 05 6003 020
25	31	33	14	16	33	B 50	06 05 6003 025
32	40	39	17	16	63	B 30	06 05 6003 032
40	50	49	23	16	128	C 70	06 05 6003 040
50	59.5	57	26	16	180	C 50	06 05 6003 050
63	73	72	34	16	330	C 26	06 05 6003 063
75	92	84	40	16	640	C 14	06 05 6003 075
90	109.5	99	48	16	1041	D 24	06 05 6003 090
110	129	117	56	16	1430	D 12	06 05 6003 110
160	188	167	81	16	4500	D 4	06 05 6003 160

Joelhos a 45º


Elbows 45º

Coudes 45º

Codos 45º



06 05 6067 000



d	D	l	Z	PN	Gr	Quant	Nº Código
20	25	21	5	16	12	B 200	06 05 6067 020
25	31	25	6	16	19	B 100	06 05 6067 025
32	40.5	30	8	16	44	B 60	06 05 6067 032
40	51	36	10	16	84	C 120	06 05 6067 040
50	60.5	43	12	16	117	C 80	06 05 6067 050
63	75	53	15	16	210	C 40	06 05 6067 063
75	90	62	18	16	353	C 24	06 05 6067 075
90	106	72	21	16	523	C 14	06 05 6067 090
110	132	88.5	25.5	16	1070	D 20	06 05 6067 110
160	185	121	34	16	2490	D 6	06 05 6067 160

Uniões simples


Sockets

Manchons égaux

Manguitos union



06 05 6005 000



d	D	l	Z	PN	Gr	Quant	Nº Código
20	26	35	3	16	11	B 200	06 05 6005 020
25	31	41	3	16	15	B 120	06 05 6005 025
32	40	47	3	16	31	B 70	06 05 6005 032
40	48	55	3	16	43	C 180	06 05 6005 040
50	58	65	3	16	75	C 100	06 05 6005 050
63	74.5	80	4	16	148	C 60	06 05 6005 063
75	90	94	4	16	266	C 36	06 05 6005 075
90	106.5	107	4	16	400	C 18	06 05 6005 090
110	129	131	9	16	685	C 12	06 05 6005 110
160	186	182	8	16	1810	D 10	06 05 6005 160

Tampões fêmea


Caps

Bouchons femelle

Tapones hembra



06 05 6012 000



d	D	l	PN	Gr	Quant	Nº Código
20	26	22	16	7	A 80	06 05 6012 020
25	31	26	16	10	B 200	06 05 6012 025
32	40	29	16	21	B 120	06 05 6012 032
40	48	34.5	16	31	B 80	06 05 6012 040
50	58	43	16	50	C 200	06 05 6012 050
63	74.4	50	16	116	C 120	06 05 6012 063
75	90	61	16	192	C 60	06 05 6012 075
90	106.5	70	16	300	C 38	06 05 6012 090
110	129	89	16	529	C 18	06 05 6012 110
160	189	128	16	1580	C 6	06 05 6012 160

Flanges livres


Backing flanges

Brides libres

Bridas



06 05 6019 000



d	A	B	K	I	Y	Furos	PN	Gr	Quant	Nº Código
50	150	62	110	16	18	4	16	245	C 70	06 05 6019 050
63	165	78	125	18	18	4	16	297	C 50	06 05 6019 063
75	185	92	145	19	18	4	16	365	C 40	06 05 6019 075
90	200	110	160	20	18	8	16	420	C 34	06 05 6019 090
110	220	133	180	22	18	8	16	486	C 25	06 05 6019 110
160	285	190	240	28	22	8	16	1100	C 10	06 05 6019 160

Colarinhos estriados


Flange adaptors with grooves

Collets avec stries

Manguitos porta brida c/ estrias



06 05 6152 000



d	h	l	A	D	Z	PN	Gr	Quant	Nº Código
50	8	34	73	61	3	16	63	C 150	06 05 6152 050
63	9	41	90	77	3	16	116	C 90	06 05 6152 063
75	10	47	106	91	3	16	177	C 55	06 05 6152 075
90	11	56	125	108	5	16	290	C 30	06 05 6152 090
110	13	66	150	131	5	16	470	C 20	06 05 6152 110
160	16	91	213	187	6	16	1170	E 14	06 05 6152 160

Flanges fixas


Fixed flanges with grooves

Collet bride avec stries

Bridas fijas con estrias



06 05 6356 000



d	L	Z	A	K	I	Y	Furos/Holes	PN	Gr	Quant	Nº Código
75	49	4	185	145	19	18	4	10	515	C 18	06 05 6356 075
90	56	4	200	160	20	18	8	10	660	C 14	06 05 6356 090